

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSM14	JBL CSM14 4 Input - 1 Output Mixer, Fanless, 1U Half-Rack, Mounting kit included	\$498.48	\$373.86
JBL	CSM-21	JBL CSM-21 2 x 1 Stereo/Mono Public Address Mixer	\$698.00	\$523.50
JBL	CSM28	JBL CSM28 8 Input - 2 Output Mixer, Fanless, 1U Full-Rack, Mounting kit included	\$710.00	\$532.50
JBL	CSM-32	JBL CSM-32 3 x 2 Stereo/Mono Public Address Mixer	\$838.00	\$628.50
JBL	VMA1120	JBL VMA1120 VMA 1120: (5) input channel x (1) 120W output channel Mixer/Amplifier	\$554.00	\$415.50
JBL	VMA1240	JBL VMA1240 VMA 1240: (5) input channel x (1) 240W output channel Mixer/Amplifier	\$674.00	\$505.50
JBL	VMA160	JBL VMA160 VMA 160: (5) input channel x (1) 60W output channel Mixer/Amplifier	\$434.00	\$325.50
JBL	VMA2120	JBL VMA2120 VMA 2120: (8) input channel x (2) 120W output channel Mixer/Amplifier	\$734.00	\$550.50
JBL	VMA260	JBL VMA260 VMA 260: (8) input channel x (2) 80W output channel Mixer/Amplifier	\$614.00	\$460.50
JBL	CSMA1120	JBL CSMA1120 4 input - 1 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$931.04	\$698.28
JBL	CSMA180	JBL CSMA180 4 input - 1 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$695.96	\$521.97

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSMA2120	JBL CSMA2120 8 input - 2 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	\$1,117.06	\$837.79
JBL	CSMA240	JBL CSMA240 8 input - 2 x 40W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	\$812.14	\$609.10
JBL	CSMA280	JBL CSMA280 8 input - 2 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	\$1,015.16	\$761.37
JBL	CSA1120Z	JBL CSA1120Z 1 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$629.88	\$472.41
JBL	CSA1300Z	JBL CSA1300Z DriveCore Amplifier	\$698.00	\$523.50
JBL	CSA140Z	JBL CSA140Z 1 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$309.12	\$231.84
JBL	CSA180Z	JBL CSA180Z 1 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$539.00	\$404.25
JBL	CSA2120	JBL CSA2120 2 x 120 Watt Amplifier at 4/8 Ohms	\$593.58	\$445.18
JBL	CST2120	JBL CST2120 2-Channel Transformer Kit for CSA2120	\$132.06	\$99.04
JBL	CSA2120Z	JBL CSA2120Z 2 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$839.72	\$629.79

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSA2300Z	JBL CSA2300Z DriveCore Amplifier	\$898.00	\$673.50
JBL	CSA240Z	JBL CSA240Z 2 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$540.60	\$405.45
JBL	CSA280Z	JBL CSA280Z 2 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	\$686.46	\$514.84
JBL	CSPM-1	JBL CSPM-1 CSM 1-Zone Paging Station (for use with all CSMA)	\$168.00	\$126.00
JBL	CSPM-2	JBL CSPM-2 CSM 2-Zone Paging Station (for use with CSM32)	\$182.00	\$136.50
JBL	CSPM-4	JBL CSPM-4 CSM 4-Zone Paging Station	\$196.00	\$147.00
JBL	CSR-2SV-BLK	JBL CSR-2SV-BLK Wall Controller with 2-Position Source Selector and Volume Control; US Version (Black) For use with CSM-21, CSM-32	\$80.00	\$60.00
JBL	CSR-2SV-WHT	JBL CSR-2SV-WHT Wall Controller with 2-Position Source Selector and Volume Control; US Version (White) For use with CSM-21, CSM-32	\$80.00	\$60.00
JBL	CSR-3SV-BLK	JBL CSR-3SV-BLK Controller with 3-Position Source Selector and Volume Control; US Version (Black) For use with CSM-32	\$80.00	\$60.00
JBL	CSR-3SV-WHT	JBL CSR-3SV-WHT Wall Controller with 3-Position Source Selector and Volume Control; US Version (White) For use with CSM-32	\$80.00	\$60.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSR-V-BLK	JBL CSR-V-BLK Wall Controller with Volume Control; US Version (Black) For use with CSM-21, CSM-32, All CSMA	\$80.00	\$60.00
JBL	CSR-V-WHT	JBL CSR-V-WHT Wall Controller with Volume Control; US Version (White) For use with CSM-21, CSM-32, All CSMA	\$80.00	\$60.00
JBL	CSS8004	JBL CSS8004 4" Commercial Series Ceiling Speaker. 90 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 175 deg coverage; punched metal grille, compatible with CSS-BB4 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	\$23.00	\$17.25
JBL	CSS8008	JBL CSS8008 8" Commercial Series Ceiling Speaker. 96 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 120 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	\$31.00	\$23.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSS8018	JBL CSS8018 8" Commercial Series Ceiling Speaker. Very high 97 dB sens, 10W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 110 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	\$42.00	\$31.50
JBL	CSS-BB4X6	JBL CSS-BB4X6 Pack of 6 pcs of 4" backcans for CSS8004. Steel, zinc-plated, powder-coated, 4.8" (121mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	\$52.00	\$39.00
JBL	CSS-BB8X6	JBL CSS-BB8X6 Pack of 6 pcs of 8" backcans for CSS8008 or CSS8018. Steel, zinc-plated, powder-coated, 4.8" (121 mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	\$94.00	\$70.50
JBL	CSS-TR4/8x12	JBL CSS-TR4/8x12 Pack of 12 pcs Tile Rails for CSS-BB4 and CSS-BB8 Backcans (Priced as package)	\$33.60	\$25.20
JBL	8124 of 4 pcs)	JBL 8124 4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), high 93 dB sens, 60 Hz to 18 kHz, for non-plenum applications, 1.2 kg (2.5 lb). (Priced as each, sold in packages	\$36.00	\$27.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	8128	JBL 8128 8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), very high 97 dB sens, 50 Hz to 16 kHz, for non-plenum applications, 1.4 kg (3.0 lb). (Priced as each, sold in packages of 4 pcs)	\$47.25	\$35.43
JBL	8138	JBL 8138 8" Ceiling Speaker for Pre-Install Backcan, stylish look, for use with MTC-81BB8 backcan and MTC-81TB8 tile bridge, or standard backcans. Very high 97 dB sens, 95 Hz – 18 kHz, 6W multiple tap transformer, 90° coverage. (priced as each, sold in packs of 4 pcs)	\$50.00	\$37.50
JBL	MTC-8124C	JBL MTC-8124C C-ring for 8124, for installations requiring C-ring to spread ceiling loading. Integral clips for optional MTC-Rail tile rails. (Priced as each, sold in packages of 4 pcs [for 4 speakers])	\$13.65	\$10.23
JBL	MTC-8128C	JBL MTC-8128C C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4 speakers))	\$16.28	\$12.21
JBL	MTC-81BB8	JBL MTC-81BB8 Pre-Install backcan for 8138, 7.4 liter, 7"H x 11-3/4" dia, 11-1/4" mounting circle, 16 gauge steel, e-coated (priced as each sold in packs of 4 pcs)	\$34.13	\$25.60
JBL	MTC-81TB8	JBL MTC-81TB8 Tile Bridge for MTC-81BB8 backcan, 19 gauge steel with e-coating (priced as each, sold in packs of 4 pcs)	\$17.85	\$13.38

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-RAIL	JBL MTC-RAIL Tile rails for 8124, 8128 (requires MTC-8124C or MTC-8128C c-rings) or for C42C speaker (with included c-ring), (priced as each. Sold in packs of 4 pcs, for 2 spkrs).	\$10.23	\$7.67
JBL	CONTROL 12C/T	JBL CONTROL 12C/T Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB sensitivity Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 15 W multi-tap transformer at 70V/100V and 8Ω direct setting (20 W). Low profile backcan for shallow ceilings. White. Sold as each, packed in pairs. International master pack is 2 speakers.	\$83.00	\$62.25
JBL	CONTROL 12C/T-BK	JBL CONTROL 12C/T-BK Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB sensitivity Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 15 W multi-tap transformer at 70V/100V and 8Ω direct setting (20 W). Low profile backcan for shallow ceilings. Black. Sold as each, packed in pairs. International master pack is 2 speakers.	\$83.00	\$62.25

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 14C/T	<p>JBL CONTROL 14C/T Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8Ω direct setting (30 W). White. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	\$116.50	\$87.37
JBL	CONTROL 14C/T-BK	<p>JBL CONTROL 14C/T-BK Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8Ω direct setting (30 W). Black. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	\$116.50	\$87.37

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 16C/T	<p>JBL CONTROL 16C/T Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8Ω direct setting (50 W). White. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	\$149.50	\$112.12
JBL	CONTROL 16C/T-BK	<p>JBL CONTROL 16C/T-BK Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8Ω direct setting (50 W). Black. Sold as each, packed in pairs. International master pack is 2 speakers.</p>	\$149.50	\$112.12

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 18C/T	JBL CONTROL 18C/T Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and butyl rubber surround and 25 mm (1 in) soft-dome liquid-cooled tweeter, 58 Hz – 20 kHz bandwidth, focused 90° coverage, high 92 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. 60 W multi-tap transformer at 70V/100V and 8Ω direct setting for 90 Watts (260W peak). White. Sold as each, packed in pairs. Master pack = 2 speakers.	\$205.00	\$153.75
JBL	CONTROL 18C/T-BK	JBL CONTROL 18C/T-BK Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and butyl rubber surround and 25 mm (1 in) soft-dome liquid-cooled tweeter, 58 Hz – 20 kHz bandwidth, focused 90° coverage, high 92 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. 60 W multi-tap transformer at 70V/100V and 8Ω direct setting for 90 Watts (260W peak). Black (-BK). Sold as each, packed in pairs. Master pack = 2 speakers.	\$205.00	\$153.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-14WG	JBL MTC-14WG Weather Grille Accessory for Control 12C/T (White) and 14C/T (White). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	\$18.00	\$13.50
JBL	MTC-14WG-BK	JBL MTC-14WG-BK Weather Grille Accessory for Control 12C/T (Black) and 14C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	\$18.00	\$13.50
JBL	MTC-16WG	JBL MTC-16WG Weather Grille Accessory for Control 16C/T (White). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	\$22.00	\$16.50
JBL	MTC-16WG-BK	JBL MTC-16WG-BK Weather Grille Accessory for Control 16C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	\$22.00	\$16.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C24CT MICROPLUS	JBL C24CT MICROPLUS Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150° Coverage. Shallow 100 mm (4 in) Depth. 70V/100V Input Transformers with Taps at 25W and 12W (Plus 6W at 70V Only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	\$132.30	\$99.22
JBL	C24CT-BK	JBL C24CT-BK Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz – 20 kHz, 86 dB sensitivity, 80W program and 40W pink noise power, for use on a 70.7V or 100V distributed line, switchable taps at 30W, 15W and 7.5W (plus 37W at 70.7V only, 130° coverage, packaged with backcan, grille, support plate and tile rails. (priced as each, sold in pairs).	\$145.95	\$109.46
JBL	CONTROL 24C	JBL CONTROL 24C 4" Two-Way Vented Ceiling Speaker, 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity, SonicGuard™ Overload Protection, 16 ohms, 130° Coverage, Packaged with Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	\$134.40	\$100.80

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 24C MICRO	JBL CONTROL 24C MICRO 4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For Applications with Low Ceilings. Features Extremely Wide 150° coverage. Packaged with Backcan, Grille, Support Bracket and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	\$87.15	\$65.36
JBL	CONTROL 24CT	JBL CONTROL 24CT Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus 3.7W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	\$145.95	\$109.46
JBL	CONTROL 24CT MICRO	JBL CONTROL 24CT MICRO Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W at 70.7V only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	\$92.40	\$69.30
JBL	CONTROL 26C	JBL CONTROL 26C 6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity, SonicGuard Overload Protection, 16 Ohms, 100° Coverage, Packaged With Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	\$174.30	\$130.72

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 26CT	JBL CONTROL 26CT Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	\$196.35	\$147.26
JBL	CONTROL 26-DT	JBL CONTROL 26-DT 200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits Standard Backcans for 8 Inch Speakers. Backcan must have 5+ inches depth. Coverage of 90°. Taps at 60W, 30W and 15W (Plus 7.5W at 70V Only). 1.9 kg (4.2 lb). Priced as Each, Packed as Pairs. See wb-site for list of compatible backcans and grilles.	\$126.00	\$94.50
JBL	C26CT-LS	JBL C26CT-LS Professional Ceiling Speaker for Life-Safety Applications. UL1480 UUMW Listed for use in Fire Alarm and/or Emergency Communication Systems. 6.5" coax, 80 Hz – 20 kHz, all-in-one, backcan attached. (priced as each; sold in pairs)	\$212.10	\$159.07

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 19CS	JBL CONTROL 19CS 8" In-Ceiling Subwoofer, Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and 100W Pink Noise Power Capacity, SonicGuard Overload Protection, 8 ohms, Packaged with Backcan, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	\$263.55	\$197.66
JBL	CONTROL 19CST	JBL CONTROL 19CST Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	\$285.60	\$214.20
JBL	MTC-19MR	JBL MTC-19MR Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, Control 19CST, and Control 226C/T. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	\$212.10	\$159.07
JBL	MTC-19NC	JBL MTC-19NC Optional New Construction Bracket for Control 19CS, Control 19CST, Control 226C/T, MTC-300BB8 and MTC-200BB6. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	\$154.35	\$115.76

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-24MR	JBL MTC-24MR Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	\$126.00	\$94.50
JBL	MTC-24NC	JBL MTC-24NC Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	\$98.70	\$74.02
JBL	MTC-24TR	JBL MTC-24TR Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.	\$152.25	\$114.18
JBL	MTC-26MR	JBL MTC-26MR Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	\$154.35	\$115.76
JBL	MTC-26NC	JBL MTC-26NC Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	\$114.45	\$85.83
JBL	MTC-26TR	JBL MTC-26TR Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.	\$152.25	\$114.18

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-48TRx12	JBL MTC-48TRx12 Tile rails for using many of JBL's ceiling speaker in 1200 mm (48 in) ceiling tile grid systems. Inverted-V design. Can be used with 8124/28, Control 19CS models. Control 24C Micro models, Control 24C models, Control 26 models, Control 40 Series models, and Control 226C/T. (Sold and packed as a kit of 12 tile rails (for 6 spkrs).	\$250.00	\$187.50
JBL	MTC-PC2	JBL MTC-PC2 Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount Models. Gland Nut Extends Toward Back. Priced is for a package of two covers.	\$24.15	\$18.11
JBL	MTC-PC3	JBL MTC-PC3 Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount Models. Side-Mounted Gland Nut for low-profile installations. Priced is for a package of two covers.	\$24.15	\$18.11
JBL	MTC-TCD	JBL MTC-TCD Thick-ceiling dogears for ceilings up to 60 mm (2.5 in) thick. Fits C24C/CT Micro & MicroPlus, C24C/CT, C26C/CT, C19CS/CST. 1 kit contains 24 pcs of dogears, priced per kit.	\$8.40	\$6.30

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-ThinC-EAR	JBL MTC-ThinC-EAR Thin-ceiling dog-ears for when ceilings (or walls) are thin. Fits C24C/CT Micro & MircroPlus, C24C/CT, C26C/CT, C19CS/CST. 1 pack contains 24 pcs of dog-ears, priced per pack.	\$8.00	\$6.00
JBL	CONTROL 40CS/T	JBL CONTROL 40CS/T Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover network with outputs for 2 or 4 pcs of Control 42C satellite speakers, 30 Hz - 300 Hz, 200W program, 100W pink noise, 70V/100V taps at 80W, 40W, 20W (and 10W @ 70V), plus 8 ohm direct, (priced as each, sold in pairs)	\$388.50	\$291.37
JBL	CONTROL 42C	JBL CONTROL 42C Ultra-Compact Satellite Speaker for use with Control 40CS/T of 50S/T subwoofer, 140 Hz - 20 kHz, 82 dB sens, 30W program and 15W pink noise, 16 ohm only, 160 degree coverage, Requires external high-pass (from subwoofer crossover or electronic crossover), C-ring included, tile rails optional (priced as each, sold in pairs).	\$84.00	\$63.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 45C/T	<p>JBL CONTROL 45C/T Extremely consistent 120° broadband pattern control featuring JBL's exclusive conical Radiation Boundary Integrator® (RBI™) technology. Very consistent, full-range coverage of listening area while providing a small ceiling footprint. Wide, consistent coverage requires fewer speakers, reducing the cost of the installed system without sacrificing performance. Coaxial design featuring: 130 mm (5.25 in) polypropylene-coated paper cone with butyl rubber surround. 20 mm (.75 in) soft-dome tweeter on 210 mm (8.25 in) diameter wave guide. Bass extension down to 55 Hz. 8 ohm and 70V/100V operation. Integrated backcan for easy blind-mount" install. Packaged with grille and tile rails for easy installation.</p>	\$240.00	\$180.00
JBL	CONTROL 47C/T	<p>JBL CONTROL 47C/T Wide-coverage, extended bass ceiling spkr feature RBI. 6.5" two-way, 120 deg consistent coverage, 55 Hz - 20 kHz, 91 dB sens, taps at 60W, 30W, 15W (and 7.5W @ 70V) plus 8 ohm direct. (priced as each, sold in pairs.)</p>	\$278.25	\$208.68

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 47HC	JBL CONTROL 47HC High-ceiling, narrow-coverage version of C47 featuring RBI technology. Specs same as C47C/T except: Well-defined 75 deg coverage and 93 dB sens. (prices as each, sold in pairs.)	\$336.00	\$252.00
JBL	CONTROL 47LP	JBL CONTROL 47LP Low-Profile version of C47D/T featuring RBI technology. Specs same as C47C/T except only 142 mm (5.6 in) deep, 68 Hz to 20 kHz. (priced as each; sold in pairs)	\$239.40	\$179.55
JBL	MTC-42MR	JBL MTC-42MR Mud-Ring Construction Brackets for C42C (each pack contains 6 pcs)	\$138.08	\$103.56
JBL	MTC-42NC	JBL MTC-42NC New Construction Ring Brackets for Control 42C (each pack contains 6 pcs)	\$100.80	\$75.60
JBL	MTC-47MR	JBL MTC-47MR Mud-Ring construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)	\$225.75	\$169.31
JBL	MTC-47NC	JBL MTC-47NC New construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)	\$161.18	\$120.88
JBL	CONTROL 226C/T	JBL CONTROL 226C/T 6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms Plus 70V/100V Taps at 60W, 30W, 15W (And 7.5W @ 70V). 13" Round Ported Baffle x 9.7" Deep. (Priced as Each, Sold in Pairs).	\$367.50	\$275.62

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 227C	JBL CONTROL 227C 6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 43 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms. 12" Round Ported Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	\$292.95	\$219.71
JBL	CONTROL 227CT	JBL CONTROL 227CT Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V only). 12" Round Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	\$333.90	\$250.42
JBL	MTC-200BB6	JBL MTC-200BB6 Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel and heavy-duty 1/2" MDP reinforcement on top panel. Knockouts on sides and top panel. 0.5 cu ft, 13.3" dia x 8.1" deep, UL LISTED, (priced and shipped in eaches).	\$67.20	\$50.40
JBL	MTC-RG6/8	JBL MTC-RG6/8 *Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. UL LISTED. Sold and Shipped as Eaches).	\$28.35	\$21.26

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-SG6/8	JBL MTC-SG6/8 Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial Ceiling Loudspeakers. Fashionable, upscale look, white finish over zinc-plated metal. Fits Control 227C, 227CT, 328C and 328CT.	\$49.35	\$37.01
JBL	MTC-TB6/8	JBL MTC-TB6/8 Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) Format Ceiling Speakers. 18-Gauge steel. 25.4" x 16.3" x 1" Deep. (Price as Each, Sold 6 pcs Per Box)	\$24.15	\$18.11
JBL	CONTROL 312CS	JBL CONTROL 312CS Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	\$558.60	\$418.95

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 321C	JBL CONTROL 321C Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	\$450.45	\$337.83
JBL	CONTROL 321CT	JBL CONTROL 321CT Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V Only). 14.4" Square Ported Baffle x 9.5 Deep. EZ-Rail for Ease of Installation. UL LISTED	\$495.60	\$371.70
JBL	CONTROL 322C	JBL CONTROL 322C High-Power 12" Coax Ceiling Loudspeaker with Medium Format Compression Driver. True Broadband 90° Coverage. 400 Watts, 32 Hz to 20 kHz Frequency Response, 95 dB Sensitivity. 2407H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail for Ease of Installation. UL LISTED	\$655.20	\$491.40

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 322CT	JBL CONTROL 322CT Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED	\$711.90	\$533.92
JBL	CONTROL 328C	JBL CONTROL 328C 8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93 dB Sensitivity. 2412H Compression driver. 12" Round Ported Baffle/Waveguide x 6.3" Deep. UL LISTED	\$365.40	\$274.05
JBL	CONTROL 328CT	JBL CONTROL 328CT Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only). 12" Round Ported Baffle with Waveguide, Depth 8.6". UL LISTED	\$410.55	\$307.91
JBL	MTC-300BB12	JBL MTC-300BB12 Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top and Side Panels. Fits Control 321C, 321CT, 322C, 322CT & 321CS. 23.1" x 18.2" (20" Incl. Side Tabs) x 12.8" Deep. NOW UL LISTED	\$244.65	\$183.48

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-300BB8	JBL MTC-300BB8 One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. Fits Control 328C & 328CT. 15" Dia x 10.6" Deep. NOW UL LISTED	\$84.00	\$63.00
JBL	MTC-300SG12	JBL MTC-300SG12 Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL LISTED	\$38.85	\$29.13
JBL	MTC-300T150	JBL MTC-300T150 150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs Inside MTC-300BB12 Back Box (Does not Mount on Driver Assembly). 3.1" H x 3.4" W x 3.4" Deep. NOW UL LISTED	\$81.90	\$61.42

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSS-1S/T	JBL CSS-1S/T Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold in pairs). 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold in Compact 2- Way	\$130.00	\$97.50
JBL	CSS-H15	JBL CSS-H15 15 Watt Paging Horn (6 in masterpack)	\$95.00	\$71.25
JBL	CSS-H30	JBL CSS-H30 30 Watt Paging Horn (4 in masterpack)	\$130.00	\$97.50
JBL	Control 23-1	JBL Control 23-1 3" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 70 Hz - 20 kHz Frequency Range. 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms plus 70V/100V taps at 15W, 7.5W, 3.7W (& 1.8W at 70V only). Woven Fiberglass Woofer. Black. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	\$144.90	\$108.67

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 23-1L	JBL CONTROL 23-1L Low-Impedance-Only Version of Control 23-1 (&-WH), without 70V/100V transformer, 8 ohms only.	\$135.00	\$101.25
JBL	CONTROL 23-1L-WH	JBL CONTROL 23-1L-WH Control 23-1L in white	\$135.00	\$101.25
JBL	CONTROL 23-1-WH	JBL CONTROL 23-1-WH Control 23-1 in white.	\$144.90	\$108.67
JBL	Control 25-1	JBL Control 25-1 5.25" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 60 Hz - 20 kHz Frequency Range. 100 Watts Cont. Pink Noise Power Handling (400W peak) at 8 ohms plus 70V/100V taps at 30W, 15W, 7.5W (& 3.7W at 70V only). Woven Fiberglass Woofer. Black or white (-WH). Priced as Each, Packed as Pairs.	\$195.00	\$146.25
JBL	CONTROL 25-1L	JBL CONTROL 25-1L Low-Impedance-Only Version of Control 25-1 (&-WH), without 70V/100V transformer, 8 ohms only.	\$173.33	\$130.00
JBL	CONTROL 25-1L-WH	JBL CONTROL 25-1L-WH Control 25-1L in white	\$173.33	\$130.00
JBL	CONTROL 25-1-WH	JBL CONTROL 25-1-WH Control 25-1 in white.	\$195.00	\$146.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 25AV	JBL CONTROL 25AV Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisiball® Installation System. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	\$225.75	\$169.31
JBL	CONTROL 25AV-WH	JBL CONTROL 25AV-WH Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisiball® Installation System, in white. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	\$225.75	\$169.31

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C25AV-LS	JBL C25AV-LS Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs).	\$243.60	\$182.70
JBL	C25AV-LS-WH	JBL C25AV-LS-WH Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs)., in white	\$243.60	\$182.70
JBL	CONTROL 28-1	JBL CONTROL 28-1 8" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 45 Hz - 20 kHz Frequency Range. 120 Watts Cont. Pink Noise Power Handling (480W peak) at 8 ohms plus 70V/100V taps at 60W, 30W, 15W (& 7.5W at 70V only). Woven Fiberglass Woofer. Black or white (-WH). Priced as Each, Packed as Pairs.airs.	\$315.00	\$236.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 28-1L	JBL CONTROL 28-1L Low-Impedance-Only Version of Control 28-1 (&-WH), without 70V/100V transformer, 8 ohms only.	\$295.00	\$221.25
JBL	CONTROL 28-1L-WH	JBL CONTROL 28-1L-WH Control 28-1L in white	\$295.00	\$221.25
JBL	CONTROL 28-1-WH	JBL CONTROL 28-1-WH Control 28-1 in white.	\$315.00	\$236.25
JBL	C29AV-1	JBL C29AV-1 High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisiball® Installation System plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard(tm) Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover. (Priced and Packed as Each)	\$490.35	\$367.76

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C29AV-WH-1	<p>JBL C29AV-WH-1 High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisiball® Installation System plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard(tm) Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover, in White. (Priced and Packed as Each).</p>	\$490.35	\$367.76
JBL	CONTROL 30	<p>JBL CONTROL 30 High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb).</p>	\$857.85	\$643.38

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 30-WH	JBL CONTROL 30-WH High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb), in White.	\$857.85	\$643.38

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 31	JBL CONTROL 31 Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	\$750.00	\$562.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 31-WH	JBL CONTROL 31-WH Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	\$750.00	\$562.50
JBL	CONTROL HST	JBL CONTROL HST Control HST - Wide-Coverage On-Wall Speaker	\$332.00	\$249.00
JBL	CONTROL HST-WH	JBL CONTROL HST-WH Control HST - Wide-Coverage On-Wall Speaker	\$332.00	\$249.00
JBL	CONTROLCRV	JBL CONTROLCRV Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), black. Master Pack Quantity: 4 Pieces	\$261.45	\$196.08

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROLCRV-WH	JBL CONTROLCRV-WH Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), white. Master Pack Quantity: 4 Pieces	\$261.45	\$196.08
JBL	CONTROL SB-2	JBL CONTROL SB-2 Slot-Loaded Vented Bandpass Subwoofer, Stereo, with Dual Voice-Coil 10" Transducer, Trapezoidal Enclosure for easy Corner Placement, 38Hz – 160Hz, 340W Program, 100dB Sensitivity, 8 ohm Stereo Inputs with High-Pass Satellite Outputs.	\$390.60	\$292.95
JBL	CONTROL SB2210	JBL CONTROL SB2210 Compact, Low Profile, High-Power Subwoofer with 2 x 250mm (10 Inch) Woven-Fiberglass Cone Drivers. 500 Watts Cont. Pink Noise Power Handling (2000W peak), 13 M6 Suspension Points, feet, Optional U-bracket. 38 Hz-500 Hz Frequency Range, 355 x 590 x 570 mm, (14 x 23.3 x 22.5 In). Black. Priced and sold individually.	\$775.00	\$581.25
JBL	CONTROL SB2210-WH	JBL CONTROL SB2210-WH Control SB2210 in white (-WH)	\$775.00	\$581.25
JBL	MTC-210UB	JBL MTC-210UB U-Bracket for Control SB-2210 Subwoofer, Black.	\$94.50	\$70.87
JBL	MTC-210UB-WH	JBL MTC-210UB-WH U-Bracket for Control SB-2210 Subwoofer, White	\$94.50	\$70.87

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-23CM	JBL MTC-23CM Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces.	\$14.70	\$11.02
JBL	MTC-23CM-WH	JBL MTC-23CM-WH Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 Pieces.	\$14.70	\$11.02
JBL	MTC-23UB-1	JBL MTC-23UB-1 U-Bracket for Control 23-1 & 23-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	\$23.50	\$17.62
JBL	MTC-23UB-1-WH	JBL MTC-23UB-1-WH MTC-23UB-1 in white.	\$23.50	\$17.62
JBL	MTC-23V	JBL MTC-23V Vertical-Array Wall Bracket for Three Control 23 Speakers.	\$89.25	\$66.93
JBL	MTC-23WMG-1	JBL MTC-23WMG-1 WeatherMax™ Replacement Grille for Control 23-1 for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	\$28.50	\$21.37
JBL	MTC-23WMG-1-WH	JBL MTC-23WMG-1-WH MTC-23WMG-1 in white.	\$28.50	\$21.37
JBL	MTC-25UB-1	JBL MTC-25UB-1 U-Bracket for Control 25-1 & 25-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	\$32.00	\$24.00
JBL	MTC-25UB-1-WH	JBL MTC-25UB-1-WH MTC-25UB-1 in white.	\$32.00	\$24.00
JBL	MTC-25V	JBL MTC-25V Vertical-Array Wall Bracket for Three Control 25 Speakers.	\$90.30	\$67.72

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-25WMG	JBL MTC-25WMG WeatherMax™ Replacement Grille for Control 25AV & 25AV-LS only. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.	\$37.80	\$28.35
JBL	MTC-25WMG-1	JBL MTC-25WMG-1 WeatherMax™ Replacement Grille for Control 25-1 & 25-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	\$40.00	\$30.00
JBL	MTC-25WMG-1-WH	JBL MTC-25WMG-1-WH MTC-25WMG-1 in white.	\$40.00	\$30.00
JBL	MTC-25WMG-WH	JBL MTC-25WMG-WH WeatherMax™ Replacement Grille for Control 25AV & 25AV-LS Models only. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, White	\$37.80	\$28.35
JBL	MTC-28/25CM	JBL MTC-28/25CM Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces.	\$27.30	\$20.47
JBL	MTC-28/25CM-WH	JBL MTC-28/25CM-WH Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack Contains 2 Pieces.	\$27.30	\$20.47
JBL	MTC-28H	JBL MTC-28H Horizontal-Array Bracket for Two Control 28s, 60° Splay, Three Brackets Connect to Form Suspendable Assembly for Three or Six Speakers, Providing 360° Coverage.	\$91.35	\$68.51

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-28UB-1	JBL MTC-28UB-1 U-Bracket for Control 28-1 & 28-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	\$40.00	\$30.00
JBL	MTC-28UB-1-WH	JBL MTC-28UB-1-WH MTC-25UB-1 in white.	\$40.00	\$30.00
JBL	MTC-28V	JBL MTC-28V Vertical-Array Wall Bracket for Three Control 28 Speakers.	\$96.60	\$72.45
JBL	MTC-28WMG-1	JBL MTC-28WMG-1 WeatherMax™ Replacement Grille for Control 28-1 & 28-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	\$57.00	\$42.75
JBL	MTC-28WMG-1-WH	JBL MTC-28WMG-1-WH MTC-28WMG-1 in white.	\$57.00	\$42.75
JBL	MTC-29MK	JBL MTC-29MK Marine Grille Kit for C29AV-1 Loudspeaker. Retrofit grille, adds extra durability when installing C29AV-1s in challenging corrosive environments such as sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws. Black.		\$0.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-29MK-WH	JBL MTC-29MK-WH Marine Grille Kit for C29AV-1 Loudspeaker. Retrofit grille, adds extra durability when installing C29AV-1s in challenging corrosive environments such as sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws. Black.	\$123.33	\$92.49
JBL	MTC-29CM	JBL MTC-29CM Ceiling-Mount Adapter for Control 29AV, Black. Each Pack Contains 1 Piece.	\$28.35	\$21.26
JBL	MTC-29CM-WH	JBL MTC-29CM-WH Ceiling-Mount Adapter for Control 29AV, White. Each Pack Contains 1 Piece.	\$28.35	\$21.26
JBL	MTC-29UB	JBL MTC-29UB U-Bracket for Control 29AV.	\$80.85	\$60.63
JBL	MTC-29UB-WH	JBL MTC-29UB-WH U-Bracket for Control 29AV, in White.	\$80.85	\$60.63
JBL	MTC-29MK	JBL MTC-29MK MTC-29MK	\$123.33	\$92.49
JBL	MTC-29MK-WH	JBL MTC-29MK-WH MTC-29MK in White	\$123.33	\$92.49
JBL	MTC-30CM	JBL MTC-30CM Ceiling-Mount Adapter for Control 30, Black. Contains 1 Piece.	\$34.65	\$25.98
JBL	MTC-30CM-WH	JBL MTC-30CM-WH Ceiling-Mount Adapter for Control 30, White. Contains 1 Piece.	\$34.65	\$25.98

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-30MK	JBL MTC-30MK Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging corrosive environments such as cruise ships, sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws and protection caps for baffle screws. Black.	\$143.85	\$107.88
JBL	MTC-30MK-WH	JBL MTC-30MK-WH Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging corrosive environments such as cruise ships, sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws and protection caps for baffle screws. White.	\$143.85	\$107.88
JBL	MTC-30UB	JBL MTC-30UB U-Bracket for Control 30, black.	\$88.20	\$66.15
JBL	MTC-30UB-WH	JBL MTC-30UB-WH U-Bracket for Control 30, white.	\$88.20	\$66.15
JBL	MTC-SB2C	JBL MTC-SB2C Bracket for Suspending Control SB-2 from a Ceiling.	\$92.40	\$69.30

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-SB2W	JBL MTC-SB2W Bracket for Installing Control SB-2 to Wall or Corner.	\$126.00	\$94.50
JBL	MTC-SBT300	JBL MTC-SBT300 300 Watt Multi-Tap 70V/100V Transformer for SB2210. Kit includes transformer (for mounting on existing studs inside input plate) with modular connectors for fast hook-up. Connect proper wire for tap setting. 300W, 150W, 75W at 70V/100V (plus 37W at 70V). Priced and packaged individually.	\$100.00	\$75.00
JBL	PMB-BK	JBL PMB-BK Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. (priced and sold individually)	\$52.50	\$39.37
JBL	PMB-WH	JBL PMB-WH Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. (priced and sold individually)	\$52.50	\$39.37
JBL	CONTROL 50S/T	JBL CONTROL 50S/T Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, black (priced as each; sold in pairs).	\$393.75	\$295.31

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 50S/T-WH	JBL CONTROL 50S/T-WH Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, (priced as each; sold in pairs), white.	\$393.75	\$295.31
JBL	CONTROL 52	JBL CONTROL 52 Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), black.	\$70.35	\$52.76
JBL	CONTROL 52-WH	JBL CONTROL 52-WH Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), white.	\$70.35	\$52.76
JBL	C50PACK	JBL C50PACK Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black. (each pack contains 1 subwoofer + 4 satellites)	\$640.50	\$480.37

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C50PACK-WH	JBL C50PACK-WH Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black or white. (each pack contains 1 subwoofer + 4 satellites), in white	\$640.50	\$480.37
JBL	C60PS/T	JBL C60PS/T High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200 mm (8 in) long-excursion driver. 8 ohm (150 Watt) and 70V/100V (100 Watt) operation. Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp. Stylish design, available in black or white (-WH). UL listed (speaker and hanging cable system).(priced as each; sold in pairs).	\$415.00	\$311.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C60PS/T-WH	JBL C60PS/T-WH High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200 mm (8 in) long-excursion driver. 8 ohm (150 Watt) and 70V/100V (100 Watt) operation. Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp. Stylish design, available in black or white (-WH). UL listed (speaker and hanging cable system).(priced as each; sold in pairs).	\$415.00	\$311.25
JBL	C62P	JBL C62P Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs).	\$105.00	\$78.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C62P-WH	JBL C62P-WH Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs), in white	\$105.00	\$78.75
JBL	C64P/T	JBL C64P/T Compact Full-Range Pendant Speaker. 4" (100 mm) driver with polypropylene cone, 120 degree conical coverage, 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms, plus 30W 70V/100V multi-tap transformer, redundant suspension cable system included. Black. Priced as each, sold and packaged in pairs.	\$180.00	\$135.00
JBL	C64P/T-WH	JBL C64P/T-WH Compact Full-Range Pendant Speaker. 4" (100 mm) driver with polypropylene cone, 120 degree conical coverage, 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms, plus 30W 70V/100V multi-tap transformer, redundant suspension cable system included. White (-WH). Priced as each, sold and packaged in pairs.	\$180.00	\$135.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C65P/T	JBL C65P/T Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs).	\$235.00	\$176.25
JBL	C65P/T-WH	JBL C65P/T-WH Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs), in white.	\$235.00	\$176.25
JBL	C67HC/T	JBL C67HC/T Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).	\$400.00	\$300.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C67HC/T-WH	JBL C67HC/T-WH Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white.	\$400.00	\$300.00
JBL	C67P/T	JBL C67P/T Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).	\$340.00	\$255.00
JBL	C67P/T-WH	JBL C67P/T-WH Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white.	\$340.00	\$255.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-PC60	JBL MTC-PC60 TERMINAL COVER for C65, C67 P/T & C67HCT	\$12.87	\$9.65
JBL	MTC-PC62	JBL MTC-PC62 TERMINAL COVER for C62P	\$9.18	\$6.88
JBL	CONTROL 126W	JBL CONTROL 126W Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 98 mm (3-7/8 in) Depth (For Wallboard Plus Stud). 88 dB Sensitivity, 100 Watts (50W RMS/200W Peak), 38 Hz to 20 kHz Frequency Response. Sold in Pairs, Priced as Each.	\$199.50	\$149.62
JBL	CONTROL 126WT	JBL CONTROL 126WT Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus 3.7W at 70V Only). (Priced as Each, Sold in Pairs).	\$220.50	\$165.37

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 128W	JBL CONTROL 128W Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 102 mm (4 in) Depth (For Wallboard Plus Stud). 90 dB Sensitivity, 60 Watts RMS (120W Program/240W Peak), 30 Hz to 20 kHz Frequency Response.	\$245.70	\$184.27
JBL	CONTROL 128WT	JBL CONTROL 128WT Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W at 70V Only). (Priced as Each, Sold in Pairs).	\$270.90	\$203.17
JBL	MTC-126RIF	JBL MTC-126RIF Rough-In Frame for Installing Control 126W to Studs in New Construction. Sold in Pairs, Priced as Each.	\$27.30	\$20.47
JBL	MTC-128RIF	JBL MTC-128RIF Rough-In Frame for Installing Control 128W to Studs in New Construction. Sold in Pairs, Priced as Each.	\$27.30	\$20.47

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 85M	<p>JBL CONTROL 85M Compact 5¼" Mushroom-Style Landscape Speaker. 5-1/4" (130 mm) polypropylene cone woofer with rubber surround & 3/4" (19 mm) tweeter, 55 Hz - 18 kHz, 80 Watts Cont. Pink Noise Power Handling (320W peak) at 8 ohms, plus 30W multi-tap transformer. IP-56 rated. Hunter green. Priced and packed individually.</p>	\$250.00	\$187.50
JBL	CONTROL 88M	<p>JBL CONTROL 88M High-Power 8" Mushroom-Style Landscape Speaker. 8" (200 mm) polypropylene cone woofer with rubber surround & 1" (25 mm) tweeter, 47 Hz - 16 kHz, 120 Watts Cont. Pink Noise Power Handling (480W peak) at 8 ohms, plus 60W multi-tap transformer. IP-56 rated. Hunter green. Priced and packed individually.</p>	\$375.00	\$281.25
JBL	CBT 50LA-1	<p>JBL CBT 50LA-1 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)</p>	\$505.00	\$378.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 50LA-1-WH	JBL CBT 50LA-1-WH 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)	\$505.00	\$378.75
JBL	CBT 50LA-LS	JBL CBT 50LA-LS 50CM Tall Column Spkr, EN54 1 per carton, 1 per Masterpack	\$545.00	\$408.75
JBL	CBT 50LA-LS-WH	JBL CBT 50LA-LS-WH 50CM Tall Column Spkr, WH,EN54 1 per carton, 1 per Masterpack	\$545.00	\$408.75
JBL	CBT 100LA-1	JBL CBT 100LA-1 Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually) .	\$920.00	\$690.00
JBL	CBT 100LA-1-WH	JBL CBT 100LA-1-WH Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually).	\$920.00	\$690.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 100LA-LS	<p>JBL CBT 100LA-LS (EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually).</p>	\$1,030.40	\$772.80
JBL	CBT 100LA-LS-WH	<p>JBL CBT 100LA-LS-WH (EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually) New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatility.</p>	\$1,030.40	\$772.80

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 200LA-1	JBL CBT 200LA-1 200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern – 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload protection. Swivel (pan) / tilt wall bracket included 70V/100V transformer (each module, for 120W + 120W), plus direct capability. Available black or white (-WH). Sold and packed as each -- carton includes top and bottom speaker modules and coupling plate, which comprise one CBT 200LA-1 column, plus wall bracket	\$2,150.00	\$1,612.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 200LA-1-WH	<p>JBL CBT 200LA-1-WH 200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern – 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload protection. Swivel (pan) / tilt wall bracket included 70V/100V transformer (each module, for 120W + 120W), plus direct capability. Available black or white (-WH). Sold and packed as each -- carton includes top and bottom speaker modules and coupling plate, which comprise one CBT 200LA-1 column, plus wall bracket</p>	\$2,150.00	\$1,612.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 70J-1	<p>JBL CBT 70J-1 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatiltity. Thicker, stronger grille which is more robust for use in temporary special event applications.</p>	\$1,296.67	\$972.50
JBL	CBT 70J-1-WH	<p>JBL CBT 70J-1-WH 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatiltity. Thicker, stronger grille which is more robust for use in temporary special event applications.</p>	\$1,296.67	\$972.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 70JE-1	JBL CBT 70JE-1 70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually). Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz.	\$735.00	\$551.25
JBL	CBT 70JE-1-WH	JBL CBT 70JE-1-WH 70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually). Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz.	\$735.00	\$551.25

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 1000	<p>JBL CBT 1000 High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal Waveguide. Six (6) 165 mm (6-1/2 in) high-excursion LF drivers and twenty-four (24) 25 mm (1 in) extra-high-power soft dome tweeters. .Constant Beamwidth Technology, switchable between 4 "pattern up" and 4 "pattern down" vertical coverages (for total of 16 settings, music (flat)/speech switch, 4 ohms, 45 Hz – 20 kHz, 1500W cont pink (6000W peak), two-part wall bracket included. Black. (Priced and sold individually).</p>	\$2,650.00	\$1,987.50
JBL	CBT 1000E	<p>JBL CBT 1000E Extension for CBT 1000 Line Array, six (6) 165 mm (6-1/2") high-excursion LF drivers, 1500W cont pink noise (6000 W peak), 8 ohms (note CBT1000+1000E is a 4 ohm system), linking coupler bracket included, 100 cm tall for 200 cm tall CBT 1000+E array, connect CBT1000 and CBT1000E in parallel. Combined with CBT 1000, system response is 38 Hz – 20 kHz with well controlled pattern to 200 Hz. (priced and sold individually).</p>	\$1,450.00	\$1,087.50
JBL	CBT 1000E-WH	<p>JBL CBT 1000E-WH Extension for CBT 1000 Line Array. Same as CBT1000E, in white. (priced and sold individually).</p>	\$1,450.00	\$1,087.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CBT 1000-WH	JBL CBT 1000-WH High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal Waveguide. Same as CBT1000, in white. (Priced and sold individually).	\$2,650.00	\$1,987.50
JBL	CBT1K-ACC1	JBL CBT1K-ACC1 Accessory Kit, Includes 2 sets MTC-CBT-FM3 Flush-Mount Wall Bracket and 1 pc MTC-CBT-OS3 Off-Set Bracket (for installing extender on the top). (Priced as the kit.)	\$108.33	\$81.24
JBL	CBT1K-ACC1-WH	JBL CBT1K-ACC1-WH CBT1K-ACC1 Accessory Kit in white.	\$108.33	\$81.24
JBL	MTC-CBT-70T	JBL MTC-CBT-70T Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker. 120W Multi-Tap, Gland Nuts Provide Water Tight Cable Entrance and Exit. Sold and priced as each.	\$120.00	\$90.00
JBL	MTC-CBT-70T-WH	JBL MTC-CBT-70T-WH Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker. 120W Multi-Tap, Gland Nuts Provide Water Tight Cable Entrance and Exit. Sold and priced as each.	\$120.00	\$90.00
JBL	MTC-CBT-FM1	JBL MTC-CBT-FM1 "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	\$40.00	\$30.00
JBL	MTC-CBT-FM1-WH	JBL MTC-CBT-FM1-WH "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	\$40.00	\$30.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTC-CBT-FM2	JBL MTC-CBT-FM2 "Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1	\$55.00	\$41.25
JBL	MTC-CBT-FM2-WH	JBL MTC-CBT-FM2-WH "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	\$55.00	\$41.25
JBL	MTC-CBT-SMB1	JBL MTC-CBT-SMB1 STAND MOUNT BRACKER FOR CBT	\$59.00	\$44.25
JBL	MTC-CBT-SUS3	JBL MTC-CBT-SUS3 Suspension Adapter Plates for ALL CBT Models. Bent-metal adapter plates that provide convenient clip points for suspending CBT speakers via aircraft cable and other methods. Includes 2 pcs, for top & bottom mounting. Provides 3 clip points each -- center and two sides. Drilled with three speaker spacing/bolt patterns to fit: CBT-50LA-1, 100LA-1, 200LA-1, 70J-1, 70J-1+70JE-1 array, 1000, 1000+1000E array. (Priced as a carton containing 2 bent-metal adapter plates.)	\$35.00	\$26.25
JBL	MTC-CBT-SUS3-WH	JBL MTC-CBT-SUS3-WH Suspension Adapter Plates. MTC-CBT-SUS3 in white.	\$35.00	\$26.25
JBL	IVX-576125	JBL IVX-576125 Intellivox V-90 MKII, Ral 9007 - EN54:24	\$1,890.00	\$1,417.50
JBL	IVX-587001	JBL IVX-587001 Intellivox-DS115, Amp@Top	\$5,324.00	\$3,993.00
JBL	IVX-585021	JBL IVX-585021 Intellivox-DC180, Amp@Top	\$7,024.00	\$5,268.00
JBL	IVX-587021	JBL IVX-587021 Intellivox-DS180, Amp@Top	\$7,805.00	\$5,853.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	IVX-587040	JBL IVX-587040 Intellivox-DSX180, Amp@Bottom	\$7,805.00	\$5,853.75
JBL	IVX-587041	JBL IVX-587041 Intellivox-DSX180, Amp@Top	\$7,805.00	\$5,853.75
JBL	IVX-97765012	JBL IVX-97765012 Dummy Enclosure. Intellivox 180 series	\$1,951.00	\$1,463.25
JBL	IVX-585061	JBL IVX-585061 Intellivox-DC280, Amp@Top	\$9,620.00	\$7,215.00
JBL	IVX-587060	JBL IVX-587060 Intellivox-DS280, Amp@Bottom	\$10,688.00	\$8,016.00
JBL	IVX-587061	JBL IVX-587061 Intellivox-DS280, Amp@Top	\$10,688.00	\$8,016.00
JBL	IVX-587080	JBL IVX-587080 Intellivox-DSX280, Amp@Bottom	\$10,688.00	\$8,016.00
JBL	IVX-587081	JBL IVX-587081 Intellivox-DSX280, Amp@Top	\$10,688.00	\$8,016.00
JBL	IVX-587480	JBL IVX-587480 Intellivox-DSX280HD, Amp@Bottom	\$10,688.00	\$8,016.00
JBL	IVX-587481	JBL IVX-587481 Intellivox-DSX280HD, Amp@Top	\$10,688.00	\$8,016.00
JBL	IVX-585300	JBL IVX-585300 Intellivox-DC380, Amp@Bottom	\$13,613.00	\$10,209.75
JBL	IVX-587350	JBL IVX-587350 Intellivox-DSX380, Amp@Bottom	\$15,125.00	\$11,343.75
JBL	IVX-587351	JBL IVX-587351 Intellivox-DSX380, Amp@Top	\$15,125.00	\$11,343.75
JBL	IVX-20033	JBL IVX-20033 Intellivox 380 series Custom Color Surcharge	\$721.00	\$540.75
JBL	IVX-585160	JBL IVX-585160 Intellivox-DC500, Amp@Bottom	\$18,967.00	\$14,225.25
JBL	IVX-587180	JBL IVX-587180 Intellivox-DSX500, Amp@Bottom	\$21,074.00	\$15,805.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	IVX-97775012	JBL IVX-97775012 Dummy Enclosure. Intellivox 500 series	\$5,269.00	\$3,951.75
JBL	IVX-20063	JBL IVX-20063 Intellivox 500 series Custom Color Surcharge	\$794.00	\$595.50
JBL	IVX-587550	JBL IVX-587550 IntelliDisc-DS90	\$22,989.00	\$17,241.75
JBL	IVX-587870	JBL IVX-587870 Intellivox-HP-DS170, High Power	\$11,792.00	\$8,844.00
JBL	IVX-587890	JBL IVX-587890 Intellivox-HP-DS370, High Power	\$25,666.00	\$19,249.50
JBL	IVX-21608	JBL IVX-21608 Intellivox-HP-DS370 Surcharge Custom Color	\$865.00	\$648.75
JBL	IVX-802000	JBL IVX-802000 Intellivox Hinge Bracket 90°, RAL9010	\$91.00	\$68.25
JBL	IVX-387802	JBL IVX-387802 USB to RS485 Converter	\$356.00	\$267.00
JBL	IVX-802100	JBL IVX-802100 Intellivox Cable entry cover box 2x M25, Inc. fasteners, RAL9010	\$248.00	\$186.00
JBL	IVX-802105	JBL IVX-802105 Intellivox Cable entry cover box 2x M16, Inc. fasteners, RAL9010	\$248.00	\$186.00
JBL	IVX-802110	JBL IVX-802110 Intellivox Cable entry cover plate 2x PG13.5, Inc. fasteners, RAL9010	\$51.00	\$38.25
JBL	IVX-802120	JBL IVX-802120 Intellivox Cable entry cover box 6x XLR, pre-assembled, RAL9010	\$966.00	\$724.50
JBL	IVX-802005	JBL IVX-802005 Intellivox Hinge Bracket 90°, RAL9007	\$88.00	\$66.00
JBL	IVX-802225	JBL IVX-802225 Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9010	\$87.00	\$65.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	IVX-802226	JBL IVX-802226 Intellivox Wall Bracket 25mm, Set (3 pcs) Inc. fasteners, RAL9010	\$123.00	\$92.25
JBL	IVX-802227	JBL IVX-802227 Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9007	\$87.00	\$65.25
JBL	IVX-802260	JBL IVX-802260 Intellivox Wall Bracket 60mm, Set (2 pcs) Inc. fasteners, RAL9010	\$101.00	\$75.75
JBL	IVX-802261	JBL IVX-802261 Intellivox Wall Bracket 60mm, Set (3 pcs) Inc. fasteners, RAL9010	\$140.00	\$105.00
JBL	IVX-806602	JBL IVX-806602 Set of Hinges (yellow passivated) for Ivx DC/DS115/180/280	\$114.00	\$85.50
JBL	IVX-806608	JBL IVX-806608 Intellivox Swivel Wall Bracket 90°, RAL9010	\$136.00	\$102.00
JBL	IVX-806618	JBL IVX-806618 Intellivox Swivel Wall Bracket 45°, RAL9010	\$133.00	\$99.75
JBL	IVX-806668	JBL IVX-806668 Intellivox Swivel Wall Bracket 90°, RAL9007	\$136.00	\$102.00
JBL	IVX-806678	JBL IVX-806678 Intellivox Swivel Wall Bracket 45°, RAL9007	\$133.00	\$99.75
JBL	IVX-846601	JBL IVX-846601 Intellivox to Manfrotto Stand Fixing, RAL9010 - Not suitable for 430 & 500	\$203.00	\$152.25
JBL	IVX-17949145	JBL IVX-17949145 WAGO 231cable/male connector cage 5pin. Including strain relief housing	\$33.00	\$24.75
JBL	IVX-17959145	JBL IVX-17959145 WAGO 231 female cable connector 5pin. Including strain relief housing	\$33.00	\$24.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	IVX-17959146	JBL IVX-17959146 WAGO 231 female cable connector 6pin. Including strain relief housing	\$36.00	\$27.00
JBL	IVX-802010	JBL IVX-802010 Intellivox 1608/808 Hinge Bracket 90°, RAL9010	\$255.00	\$191.25
JBL	AWC62	JBL AWC62 6.5" 2-Way All-Weather Compact Co-axial Loudspeaker. 110° x 110° broadband control, co-ax driver with 165 mm (6.5 in) Kevlar-reinforced woofer with 38 mm 1.5 in) voice coil and 25 mm (1 in) compression driver. Excellent clarity extended frequency response. 175 Watt power handling (700 W peaks), 70 Hz - 18 kHz frequency range, overload HF protection, 120 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Light Gray, paintable. Sold and packed as each.	\$380.00	\$285.00
JBL	AWC62-BK	JBL AWC62-BK Same as AWC62, in black. Sold and packed as each.	\$380.00	\$285.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AWC82	<p>JBL AWC82 8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent clarity with extended frequency response. 250 Watt power handling (1000 Watt peaks), 80 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.</p>	\$505.00	\$378.75
JBL	AWC82-BK	<p>JBL AWC82-BK 8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent clarity with extended frequency response. 250 Watt power handling (1000 Watt peaks), 80 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.</p>	\$505.00	\$378.75

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AWC129	JBL AWC129 12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 400 Watt power handling (1600 W peaks), 55 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	\$945.00	\$708.75
JBL	AWC129-BK	JBL AWC129-BK 12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 400 Watt power handling (1600 W peaks), 55 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	\$945.00	\$708.75

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AWC159	JBL AWC159 15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 38 mm (1.5 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 500 Watt power handling (2000 W peaks), 52 Hz - 20 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	\$1,450.00	\$1,087.50
JBL	AWC159-BK	JBL AWC159-BK 15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 38 mm (1.5 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 500 Watt power handling (2000 W peaks), 52 Hz - 20 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	\$1,450.00	\$1,087.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AWC15LF	JBL AWC15LF 15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil. Designed to extend low frequency response of a sound system. 500 Watt power handling (2000 W peaks), 45 Hz - 2.2 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	\$1,100.00	\$825.00
JBL	AWC15LF-BK	JBL AWC15LF-BK 15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil. Designed to extend low frequency response of a sound system. 500 Watt power handling (2000 W peaks), 45 Hz - 2.2 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	\$1,100.00	\$825.00
JBL	AW266	JBL AW266 High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW266-BK	JBL AW266-BK High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	\$3,982.00	\$2,986.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AW266-LS	JBL AW266-LS 12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW266-LS-BK	JBL AW266-LS-BK 12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW295	JBL AW295 High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW295-BK	JBL AW295-BK High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW295-LS	JBL AW295-LS 12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW295-LS-BK	JBL AW295-LS-BK 12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	\$3,982.00	\$2,986.50
JBL	AW526	JBL AW526 High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW526-BK	JBL AW526-BK High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW526-LS	JBL AW526-LS 15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW526-LS-BK	JBL AW526-LS-BK 15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW566	JBL AW566 High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	\$4,310.00	\$3,232.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AW566-BK	JBL AW566-BK High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW566-LS	JBL AW566-LS 15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW566-LS-BK	JBL AW566-LS-BK 15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW595	JBL AW595 High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW595-BK	JBL AW595-BK High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW595-LS	JBL AW595-LS 15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	\$4,310.00	\$3,232.50
JBL	AW595-LS-BK	JBL AW595-LS-BK 15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	\$4,310.00	\$3,232.50
JBL	AC15	JBL AC15 Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. Priced as each; Sold as 2 per carton.	\$383.00	\$287.25
JBL	AC15-WH	JBL AC15-WH Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. White finish. Priced as each; Sold as 2 per carton.	\$460.00	\$345.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC16	JBL AC16 Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16.	\$926.00	\$694.50
JBL	AC16-WH	JBL AC16-WH Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16. White finish.	\$926.00	\$694.50
JBL	AC16-WRX	JBL AC16-WRX Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$1,864.00	\$1,398.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC18/26	JBL AC18/26 Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	\$1,134.00	\$850.50
JBL	AC18/26-WH	JBL AC18/26-WH Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. White finish.	\$1,134.00	\$850.50
JBL	AC18/26-WRC	JBL AC18/26-WRC Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$1,984.00	\$1,488.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC18/95	JBL AC18/95 Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	\$1,134.00	\$850.50
JBL	AC18/95-WH	JBL AC18/95-WH Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. White finish.	\$1,134.00	\$850.50
JBL	AC25	JBL AC25 Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25.	\$856.00	\$642.00
JBL	AC25-WH	JBL AC25-WH Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25. White finish.	\$856.00	\$642.00
JBL	AC26	JBL AC26 Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26.	\$1,324.00	\$993.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC26-WH	JBL AC26-WH Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26. White finish.	\$1,324.00	\$993.00
JBL	AC28/26	JBL AC28/26 Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.	\$1,530.00	\$1,147.50
JBL	AC28/26-WH	JBL AC28/26-WH Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. White finish.	\$1,530.00	\$1,147.50
JBL	AC28/95	JBL AC28/95 Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.	\$1,530.00	\$1,147.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC28/95-WH	JBL AC28/95-WH Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. White finish.	\$1,530.00	\$1,147.50
JBL	AC28/95-WRX	JBL AC28/95-WRX Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,646.00	\$1,984.50
JBL	AC115S	JBL AC115S 15" Subwoofer with 75mm (3 in) voice coil. (priced as each)	\$1,020.00	\$765.00
JBL	AC115S-WH	JBL AC115S-WH 15" Subwoofer with 75mm (3 in) voice coil. (priced as each) *NEW*	\$850.00	\$637.50
JBL	AC118S	JBL AC118S 18" Subwoofer with 75mm (3 in) voice coil. (Priced as each)	\$950.00	\$712.50
JBL	AC118S-WH	JBL AC118S-WH 18" Subwoofer with 75mm (3 in) voice coil. (Priced as each) *NEW*	\$950.00	\$712.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC195	JBL AC195 10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.Priced as each.	\$750.00	\$562.50
JBL	AC195-WH	JBL AC195-WH 10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.Priced as each. *NEW*	\$750.00	\$562.50
JBL	AC266	JBL AC266 12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	\$1,020.00	\$765.00
JBL	AC266-WH	JBL AC266-WH 12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	\$1,020.00	\$765.00
JBL	AC299	JBL AC299 12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	\$1,020.00	\$765.00
JBL	AC299-WH	JBL AC299-WH 12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	\$1,020.00	\$765.00
JBL	AC566	JBL AC566 15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	\$1,140.00	\$855.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC566-WH	JBL AC566-WH 15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	\$1,140.00	\$855.00
JBL	AC599	JBL AC599 15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each.	\$1,140.00	\$855.00
JBL	AC599-WH	JBL AC599-WH 15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil. Priced as each. *NEW*	\$1,140.00	\$855.00
JBL	AC895	JBL AC895 8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit, 25mm (1 in) voice coil. Priced as each.	\$720.00	\$540.00
JBL	AC895-WH	JBL AC895-WH 8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit, 25mm (1 in) voice coil. Priced as each. *NEW*	\$720.00	\$540.00
JBL	MTU-15	JBL MTU-15 U-Bracket For Model AC15	\$82.00	\$61.50
JBL	MTU-15-WH	JBL MTU-15-WH U-Bracket For Model AC15. White finish.	\$82.00	\$61.50
JBL	MTU-16	JBL MTU-16 U-Bracket For Model AC16	\$108.00	\$81.00
JBL	MTU-16-WH	JBL MTU-16-WH U-Bracket For Model AC16. White finish	\$108.00	\$81.00
JBL	MTU-18	JBL MTU-18 U-Bracket For Models AC18/xx	\$126.00	\$94.50
JBL	MTU-18-WH	JBL MTU-18-WH U-Bracket For Models AC18/xx. White finish	\$126.00	\$94.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTU-25	JBL MTU-25 U-Bracket For Model AC25	\$100.00	\$75.00
JBL	MTU-25-WH	JBL MTU-25-WH U-Bracket For Model AC25. White finish	\$100.00	\$75.00
JBL	MTU-26	JBL MTU-26 U-Bracket For Model AC26	\$120.00	\$90.00
JBL	MTU-26-WH	JBL MTU-26-WH U-Bracket For Model AC26. White finish	\$120.00	\$90.00
JBL	MTU-28	JBL MTU-28 U-Bracket For Models AC28/xx	\$158.00	\$118.50
JBL	MTU-28-WH	JBL MTU-28-WH U-Bracket For Models AC28/xx. White finish	\$158.00	\$118.50
JBL	MTU-195	JBL MTU-195 U-Bracket for AC195. Black (standard)	\$114.00	\$85.50
JBL	MTU-195-WH	JBL MTU-195-WH U-Bracket for AC195. White (-WH)	\$114.00	\$85.50
JBL	MTU-266-99	JBL MTU-266-99 U-bracket for AC266 and AC299. Black (Standard)	\$132.00	\$99.00
JBL	MTU-266-99-WH	JBL MTU-266-99-WH U-bracket for AC266 and AC299. White (-WH)	\$132.00	\$99.00
JBL	MTU-566-99	JBL MTU-566-99 U-Bracket for AC566 and AC599. Black (Standard)	\$144.00	\$108.00
JBL	MTU-566-99-WH	JBL MTU-566-99-WH U-Bracket for AC566 and AC599. White (-WH)	\$144.00	\$108.00
JBL	MTU-895	JBL MTU-895 U-Bracket for AC895. Black (Standard)	\$102.00	\$76.50
JBL	MTU-895-WH	JBL MTU-895-WH U-Bracket for AC895. White (-Wh)	\$102.00	\$76.50
JBL	OSB-1	JBL OSB-1 Overhead suspension bracket for AC895, AC195,AC266,AC299,AC566, and AC599.	\$42.00	\$31.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	OSB-1-WH	JBL OSB-1-WH Overhead suspension bracket for AC895, AC195,AC266,AC299,AC566, and AC599. White(-WH)	\$42.00	\$31.50
JBL	WMB-100	JBL WMB-100 Wall mount bracket for AC895, AC195, AC266, AC299, AC566, and AC599.	\$156.00	\$117.00
JBL	WMB-100-WH	JBL WMB-100-WH Wall mount bracket for AC895, AC195, AC266, AC299, AC566, and AC599. White (-WH)	\$156.00	\$117.00
JBL	AC2212/00	JBL AC2212/00 Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	\$1,228.00	\$921.00
JBL	AC2212/00-WH	JBL AC2212/00-WH Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	\$1,342.00	\$1,006.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2212/00-WRC	JBL AC2212/00-WRC Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,400.00	\$1,800.00
JBL	AC2212/00-WRX	JBL AC2212/00-WRX Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,948.00	\$2,211.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2212/64	JBL AC2212/64 Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	\$1,172.00	\$879.00
JBL	AC2212/64-WH	JBL AC2212/64-WH Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	\$1,172.00	\$879.00
JBL	AC2212/64-WRC	JBL AC2212/64-WRC Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,420.00	\$1,815.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2212/64-WRX	JBL AC2212/64-WRX Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,646.00	\$1,984.50
JBL	AC2212/95	JBL AC2212/95 Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	\$1,172.00	\$879.00
JBL	AC2212/95-WH	JBL AC2212/95-WH Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	\$977.00	\$732.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2212/95-WRC	JBL AC2212/95-WRC Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,420.00	\$1,815.00
JBL	AC2212/95-WRX	JBL AC2212/95-WRX Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,646.00	\$1,984.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2215/00	JBL AC2215/00 Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	\$1,324.00	\$993.00
JBL	AC2215/00-WH	JBL AC2215/00-WH Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.	\$1,512.00	\$1,134.00
JBL	AC2215/00-WRC	JBL AC2215/00-WRC Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,634.00	\$1,975.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2215/00-WRX	JBL AC2215/00-WRX Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,062.00	\$2,296.50
JBL	AC2215/64	JBL AC2215/64 Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	\$1,278.00	\$958.50
JBL	AC2215/64-WH	JBL AC2215/64-WH Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.	\$1,278.00	\$958.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AC2215/64-WRC	<p>JBL AC2215/64-WRC Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$2,242.00	\$1,681.50
JBL	AC2215/95	<p>JBL AC2215/95 Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.</p>	\$1,278.00	\$958.50
JBL	AC2215/95-WH	<p>JBL AC2215/95-WH Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Priced as each. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.</p>	\$1,278.00	\$958.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB4128	JBL ASB4128 Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each. Suspension Eyebolts Not Included.	\$2,872.00	\$2,154.00
JBL	ASB4128-WH	JBL ASB4128-WH Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each. Suspension Eyebolts Not Included. White finish.	\$2,872.00	\$2,154.00
JBL	ASB4128-WRC	JBL ASB4128-WRC Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,944.00	\$2,958.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB4128-WRX	<p>JBL ASB4128-WRX Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY.</p> <p>Available in Black (-BK) & White (-WH).</p>	\$4,964.00	\$3,723.00
JBL	AM5212/00	<p>JBL AM5212/00 Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3.</p>	\$1,916.00	\$1,437.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/00-WH	JBL AM5212/00-WH Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	\$1,916.00	\$1,437.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/00-WRX	JBL AM5212/00-WRX Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,566.00	\$2,674.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/26	<p>JBL AM5212/26 Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$1,916.00	\$1,437.00
JBL	AM5212/26-WH	<p>JBL AM5212/26-WH Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$1,916.00	\$1,437.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/26-WRC	<p>JBL AM5212/26-WRC Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Weather Protection Treatment.</p>	\$2,986.00	\$2,239.50
JBL	AM5212/26-WRX	<p>JBL AM5212/26-WRX Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Extreme Weather Protection Treatment.</p>	\$3,566.00	\$2,674.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/64	<p>JBL AM5212/64 Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.</p>	\$1,916.00	\$1,437.00
JBL	AM5212/64-WH	<p>JBL AM5212/64-WH Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$1,916.00	\$1,437.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/64-WRC	JBL AM5212/64-WRC Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,986.00	\$2,239.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/66	<p>JBL AM5212/66 Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3.</p>	\$1,916.00	\$1,437.00
JBL	AM5212/66-WH	<p>JBL AM5212/66-WH Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3. White finish.</p>	\$1,916.00	\$1,437.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/66-WRC	<p>JBL AM5212/66-WRC Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$2,986.00	\$2,239.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/66-WRX	JBL AM5212/66-WRX Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,566.00	\$2,674.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/95	<p>JBL AM5212/95 Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3.</p>	\$1,916.00	\$1,437.00
JBL	AM5212/95-WH	<p>JBL AM5212/95-WH Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3. White finish.</p>	\$1,596.00	\$1,197.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5212/95-WRX	JBL AM5212/95-WRX Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,566.00	\$2,674.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/26	<p>JBL AM5215/26 Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.</p>	\$2,022.00	\$1,516.50
JBL	AM5215/26-WH	<p>JBL AM5215/26-WH Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	\$2,022.00	\$1,516.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/26-WRC	JBL AM5215/26-WRC Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,288.00	\$2,466.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/64	<p>JBL AM5215/64 Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-1</p>	\$2,022.00	\$1,516.50
JBL	AM5215/64-WH	<p>JBL AM5215/64-WH Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-1. White finish.</p>	\$2,022.00	\$1,516.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/64-WRC	<p>JBL AM5215/64-WRC Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,288.00	\$2,466.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/64-WRX	JBL AM5215/64-WRX Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,894.00	\$2,920.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/66	<p>JBL AM5215/66 Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-1.</p>	\$1,685.00	\$1,263.75
JBL	AM5215/66-WH	<p>JBL AM5215/66-WH Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-1. White finish.</p>	\$1,685.00	\$1,263.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/66-WRC	<p>JBL AM5215/66-WRC Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,288.00	\$2,466.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/66-WRX	JBL AM5215/66-WRX Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,894.00	\$2,920.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/95	<p>JBL AM5215/95 Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-1.</p>	\$2,022.00	\$1,516.50
JBL	AM5215/95-WH	<p>JBL AM5215/95-WH Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-1. White finish.</p>	\$2,022.00	\$1,516.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM5215/95-WRC	<p>JBL AM5215/95-WRC Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,288.00	\$2,466.00
JBL	ASB6112	<p>JBL ASB6112 Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black or White. Priced as each.</p>	\$1,638.00	\$1,228.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB6112-WH	JBL ASB6112-WH Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	\$1,638.00	\$1,228.50
JBL	ASB6115	JBL ASB6115 Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	\$1,852.00	\$1,389.00
JBL	ASB6115-WH	JBL ASB6115-WH Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	\$1,852.00	\$1,389.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB6115-WRC	<p>JBL ASB6115-WRC Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY.</p>	\$2,910.00	\$2,182.50
JBL	ASB6118	<p>JBL ASB6118 High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. Priced as each.</p>	\$2,388.00	\$1,791.00
JBL	ASB6118-WH	<p>JBL ASB6118-WH High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. White finish. Priced as each.</p>	\$2,388.00	\$1,791.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB6118-WRC	JBL ASB6118-WRC High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,250.00	\$2,437.50
JBL	ASB6125	JBL ASB6125 Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	\$2,910.00	\$2,182.50
JBL	ASB6125-WH	JBL ASB6125-WH Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	\$2,910.00	\$2,182.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB6128	JBL ASB6128 High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. Priced as each.	\$3,762.00	\$2,821.50
JBL	ASB6128V	JBL ASB6128V Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded Configuration, Deep Cabinet, Driver Magnets Outward For Maximum Cooling, , Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6315 and AM4315 Loudspeakers Using PAF-2K Planar Array Frame Kit. Priced as each.	\$4,114.00	\$3,085.50
JBL	ASB6128V-WH	JBL ASB6128V-WH Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded Configuration, Deep Cabinet, Driver Magnets Outward For Maximum Cooling, , Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6315 and AM4315 Loudspeakers Using PAF-2K Planar Array Frame Kit. White finish. Priced as each.	\$4,114.00	\$3,085.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB6128-WH	JBL ASB6128-WH High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. White finish. Priced as each.	\$3,762.00	\$2,821.50
JBL	ASB6128-WRC	JBL ASB6128-WRC High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$5,292.00	\$3,969.00
JBL	ASH6118	JBL ASH6118 Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed to be Used In Multiples (2 Minimum, 4 Optimum) with Proximity Placement Or With Proper Boundary Surface Loading. Not Suspendable. Special Order, Typical 4 Week Lead Time. Priced as each.	\$3,932.00	\$2,949.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7200/64	JBL AM7200/64 High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$3,176.00	\$2,382.00
JBL	AM7200/64-WH	JBL AM7200/64-WH High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$3,176.00	\$2,382.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7200/64-WRC	JBL AM7200/64-WRC With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,460.00	\$3,345.00
JBL	AM7200/64-WRX	JBL AM7200/64-WRX With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$5,066.00	\$3,799.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7200/95	JBL AM7200/95 High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$3,176.00	\$2,382.00
JBL	AM7200/95-WH	JBL AM7200/95-WH High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$3,176.00	\$2,382.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7200/95-WRC	JBL AM7200/95-WRC With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,460.00	\$3,345.00
JBL	AM7200/95-WRX	JBL AM7200/95-WRX With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$5,066.00	\$3,799.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/00	<p>JBL AM7212/00 High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3.</p>	\$2,880.00	\$2,160.00
JBL	AM7212/00-WH	<p>JBL AM7212/00-WH High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included.</p> <p>Optional U-bracket model MTU-3.</p>	\$2,880.00	\$2,160.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/26	<p>JBL AM7212/26 High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.</p>	\$2,880.00	\$2,160.00
JBL	AM7212/26-WH	<p>JBL AM7212/26-WH High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$2,880.00	\$2,160.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/26-WRC	<p>JBL AM7212/26-WRC High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,982.00	\$2,986.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/26-WRX	JBL AM7212/26-WRX High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,548.00	\$3,411.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/64	<p>JBL AM7212/64 High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.</p>	\$2,880.00	\$2,160.00
JBL	AM7212/64-WH	<p>JBL AM7212/64-WH High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$2,880.00	\$2,160.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/64-WRC	<p>JBL AM7212/64-WRC High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,982.00	\$2,986.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/64-WRX	JBL AM7212/64-WRX High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,548.00	\$3,411.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/66	<p>JBL AM7212/66 High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.</p>	\$2,880.00	\$2,160.00
JBL	AM7212/66-WH	<p>JBL AM7212/66-WH High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$2,880.00	\$2,160.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/66-WRC	<p>JBL AM7212/66-WRC High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,982.00	\$2,986.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/66-WRX	JBL AM7212/66-WRX High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,548.00	\$3,411.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/95	<p>JBL AM7212/95 High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.</p>	\$2,880.00	\$2,160.00
JBL	AM7212/95-WH	<p>JBL AM7212/95-WH High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.</p>	\$2,880.00	\$2,160.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7212/95-WRC	<p>JBL AM7212/95-WRC High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$3,982.00	\$2,986.50
JBL	AM7215/26	<p>JBL AM7215/26 High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.</p>	\$3,024.00	\$2,268.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/26-WH	<p>JBL AM7215/26-WH High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	\$3,024.00	\$2,268.00
JBL	AM7215/64	<p>JBL AM7215/64 High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1</p>	\$3,024.00	\$2,268.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/64-WH	JBL AM7215/64-WH High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	\$3,024.00	\$2,268.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/64-WRX	JBL AM7215/64-WRX High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,914.00	\$3,685.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/66	<p>JBL AM7215/66 High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.</p>	\$3,024.00	\$2,268.00
JBL	AM7215/66-WH	<p>JBL AM7215/66-WH High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	\$3,024.00	\$2,268.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/66-WRC	<p>JBL AM7215/66-WRC High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$4,310.00	\$3,232.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/66-WRX	JBL AM7215/66-WRX High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. With Extreme Weather Protection Treatment. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$4,914.00	\$3,685.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7215/95	<p>JBL AM7215/95 High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.</p>	\$3,024.00	\$2,268.00
JBL	AM7215/95-WH	<p>JBL AM7215/95-WH High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.</p>	\$3,024.00	\$2,268.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7315/64	JBL AM7315/64 High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$4,296.00	\$3,222.00
JBL	AM7315/64-WH	JBL AM7315/64-WH High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$4,296.00	\$3,222.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7315/64-WRC	JBL AM7315/64-WRC With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$5,582.00	\$4,186.50
JBL	AM7315/64-WRX	JBL AM7315/64-WRX With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$6,190.00	\$4,642.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7315/95	JBL AM7315/95 High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$4,296.00	\$3,222.00
JBL	AM7315/95-WH	JBL AM7315/95-WH High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	\$4,296.00	\$3,222.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AM7315/95-WRC	<p>JBL AM7315/95-WRC With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. MTU brackets do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$5,582.00	\$4,186.50
JBL	AL7115	<p>JBL AL7115 High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Priced as each. Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.</p>	\$1,852.00	\$1,389.00
JBL	AL7115-WH	<p>JBL AL7115-WH High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Priced as each. Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.</p>	\$1,852.00	\$1,389.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	AL7115-WRC	JBL AL7115-WRC With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$2,904.00	\$2,178.00
JBL	AL7115-WRX	JBL AL7115-WRX With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,704.00	\$2,778.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB7118	JBL ASB7118 Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	\$3,572.00	\$2,679.00
JBL	ASB7118-WH	JBL ASB7118-WH Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	\$3,572.00	\$2,679.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB7118-WRX	<p>JBL ASB7118-WRX Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. WRC & WRX enclosures are larger than the standard enclosure. Visit www.jblpro.com to download AE Series 2D WRC & WRX drawings. PAF kits do not fit WRC & WRX enclosures. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$6,074.00	\$4,555.50
JBL	ASB7128	<p>JBL ASB7128 Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.</p>	\$6,268.00	\$4,701.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ASB7128-WH	<p>JBL ASB7128-WH Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.</p>	\$6,268.00	\$4,701.00
JBL	CWT128	<p>JBL CWT128 Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way passive loudspeaker system. 400W Watt pink noise power handling. 1600 Watt peak power handling. 126 dB maximum SPL, 8 ohms. Foam backed powder coated 16 gauge steel grille. Four M10 suspension points and OmniMount® provision on rear panel. Standard finish: Black DuraFlex™. Optional finishes: White (-WH), WRC and WRX. Net weight 18.6 kg (40.9 lbs). Priced as each.</p>	\$2,760.00	\$2,070.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CWT128-WH	JBL CWT128-WH Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way passive loudspeaker system. 400W Watt pink noise power handling. 1600 Watt peak power handling. 126 dB maximum SPL, 8 ohms. Foam backed powder coated 16 gauge steel grille. Four M10 suspension points and OmniMount® provision on rear panel. Standard finish: Black DuraFlex™. Optional finishes: White (-WH), WRC and WRX. Net weight 18.6 kg (40.9 lbs). Priced as each.	\$2,760.00	\$2,070.00
JBL	CWT128-WRC	JBL CWT128-WRC With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$3,480.00	\$2,610.00
JBL	MTU-1	JBL MTU-1 U?Bracket For Models AM7215/xx and AM5215/xx.	\$226.00	\$169.50
JBL	MTU-1-WH	JBL MTU-1-WH U?Bracket For Models AM7215/xx and AM5215/xx. White finish.	\$226.00	\$169.50
JBL	MTU-2	JBL MTU-2 U?Bracket For Model AC2215/xx	\$226.00	\$169.50
JBL	MTU-2-WH	JBL MTU-2-WH U?Bracket For Model AC2215/xx. White finish.	\$226.00	\$169.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MTU-3	JBL MTU-3 U?Bracket For Models AM7212/xx and AM5212/xx.	\$234.00	\$175.50
JBL	MTU-3-WH	JBL MTU-3-WH U?Bracket For Models AM7212/xx and AM5212/xx. White finish.	\$234.00	\$175.50
JBL	MTU-4	JBL MTU-4 U?Bracket For Model AC2212/xx.	\$234.00	\$175.50
JBL	MTU-4-WH	JBL MTU-4-WH U?Bracket For Model AC2212/xx. White finish.	\$234.00	\$175.50
JBL	229-00009-01	JBL 229-00009-01 Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts (priced and ships as a PACK of 3 bolts)	\$48.00	\$36.00
JBL	VP7210/95DP	JBL VP7210/95DP Powered High-Output 2-Way Full-Range Fill Loudspeaker with 1 x 10" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Six M10 Suspension Points. Suspension Requires M10 Eyebolts Sold Separately. Available in Black Only.	\$4,460.00	\$3,345.00
JBL	VP7212/64DP	JBL VP7212/64DP Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	\$6,616.00	\$4,962.00
JBL	VP7212/64DPDA	JBL VP7212/64DPDA VP7212/64DP (Optional AES/EBU Module)	\$8,334.00	\$6,250.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VP7212/95DP	JBL VP7212/95DP Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	\$6,616.00	\$4,962.00
JBL	VP7212/95DPC	JBL VP7212/95DPC Compact Powered High-Output 2-way Full-Range Loudspeaker With 1 x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes compact DPC-2 amplifier module with analog input. Nine M10 & two M6 suspension points. Integrated 35mm stand mount socket in bottom panel. Suspension requires M10 eyebolts sold separately. Available in Black only.	\$4,498.00	\$3,373.50
JBL	VP7212/95DPDA	JBL VP7212/95DPDA VP7212/95DP (Optional AES/EBU Module)	\$8,334.00	\$6,250.50
JBL	VP7212MDP	JBL VP7212MDP Powered High-Output 2-Way Stage-Monitor Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 50° x 90° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Optimized for Use as Stage-Monitor. Available in Black Only.	\$4,606.00	\$3,454.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VP7215/64DP	JBL VP7215/64DP Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	\$7,156.00	\$5,367.00
JBL	VP7215/64DPDA	JBL VP7215/64DPDA VP7215/64DP (Optional AES/EBU Module)	\$8,876.00	\$6,657.00
JBL	VP7215/95DP	JBL VP7215/95DP Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	\$7,156.00	\$5,367.00
JBL	VP7215/95DPC	JBL VP7215/95DPC Compact Powered High-Output 2-way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes compact DPC-2 amplifier module with analog input. Thirteen M10 suspension points. Integrated 35mm stand mount socket in bottom panel. Suspension requires M10 eyebolts sold separately. Available in Black only.	\$5,028.00	\$3,771.00
JBL	VP7215/95DPDA	JBL VP7215/95DPDA VP7215/95DP (Optional AES/EBU Module)	\$8,876.00	\$6,657.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VP7315/64DP	JBL VP7315/64DP Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF, 1 x 8" MF, & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	\$9,564.00	\$7,173.00
JBL	VP7315/64DPDA	JBL VP7315/64DPDA VPSB6118DP (Optional AES/EBU Module)	\$11,284.00	\$8,463.00
JBL	VPSB7118DP	JBL VPSB7118DP Powered High-Output Single 18" Subwoofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	\$6,616.00	\$4,962.00
JBL	VPSB7118DPDA	JBL VPSB7118DPDA VPSB6118DP (Optional AES/EBU Module)	\$8,334.00	\$6,250.50
JBL	SM7200	JBL SM7200 Stand Mount for VP7210, VP7212 and VP7215 Loudspeaker Systems	\$340.00	\$255.00
JBL	DPDA-VP7212/64	JBL DPDA-VP7212/64 DPDA input module only, programmed for use in a VP7212/64	\$1,690.00	\$1,267.50
JBL	DPDA-VP7212/95	JBL DPDA-VP7212/95 DPDA input module only, programmed for use in a VP7212/95	\$1,690.00	\$1,267.50
JBL	DPDA-VP7215/64	JBL DPDA-VP7215/64 DPDA input module only, programmed for use in a VP7215/64	\$1,690.00	\$1,267.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	DPDA-VP7215/95	JBL DPDA-VP7215/95 DPDA input module only, programmed for use in a VP7215/95	\$1,690.00	\$1,267.50
JBL	DPDA-VP7315/64	JBL DPDA-VP7315/64 DPDA input module only, programmed for use in a VP7312/64	\$1,690.00	\$1,267.50
JBL	DPDA-VPSB7118	JBL DPDA-VPSB7118 DPDA input module only, programmed for use in a VPSB7118	\$1,690.00	\$1,267.50
JBL	PD525S	JBL PD525S Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	\$2,568.00	\$1,926.00
JBL	PD525S - WH	JBL PD525S - WH Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	\$2,569.00	\$1,926.75
JBL	PD525S-WRC	JBL PD525S-WRC Dual 15" 2275H Differential Driver® with dual 75mm (3 in) voice coils and dual magnetic gap subwoofer system. With Weather Protection Treatment.	\$3,600.00	\$2,700.00
JBL	PD525S-WRX	JBL PD525S-WRX Dual 15" 2275H Differential Driver® with dual 75mm (3 in) voice coils and dual magnetic gap subwoofer system. With Extreme Weather Protection Treatment.	\$4,680.00	\$3,510.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD544	JBL PD544 15" Horn-Loaded 2-way full-range system, 40° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	\$3,600.00	\$2,700.00
JBL	PD544 - WH	JBL PD544 - WH 15" Horn-Loaded 2-way full-range system, 40° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. *NEW*	\$3,600.00	\$2,700.00
JBL	PD544-WRC	JBL PD544-WRC 15" Horn-loaded 2-way full-range loudspeaker system, 40° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	\$3,840.00	\$2,880.00
JBL	PD544-WRX	JBL PD544-WRX 15" Horn-loaded 2-way full-range loudspeaker system, 40° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	\$4,800.00	\$3,600.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD564	JBL PD564 15" Horn-Loaded 2-way full-range system, rotatable 60° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	\$3,600.00	\$2,700.00
JBL	PD564 - WH	JBL PD564 - WH 15" Horn-Loaded 2-way full-range system, rotatable 60° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. *NEW*	\$3,600.00	\$2,700.00
JBL	PD564-WRC	JBL PD564-WRC 15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	\$3,840.00	\$2,880.00
JBL	PD564-WRX	JBL PD564-WRX 15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60° x 40° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	\$4,800.00	\$3,600.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD566	JBL PD566 15" Horn-Loaded 2-way full-range system, 60° x 60° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	\$3,600.00	\$2,700.00
JBL	PD566 - WH	JBL PD566 - WH 15" Horn-Loaded 2-way full-range system, 60° x 60° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. *NEW*	\$3,600.00	\$2,700.00
JBL	PD566-WRX	JBL PD566-WRX 15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60° x 60° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	\$4,800.00	\$3,600.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD595	JBL PD595 15" Horn-Loaded 2-way full-range system, rotatable 90° x 50° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	\$3,600.00	\$2,700.00
JBL	PD595 -WH	JBL PD595 -WH 15" Horn-Loaded 2-way full-range system, rotatable 90° x 50° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	\$3,600.00	\$2,700.00
JBL	PD595-WRC	JBL PD595-WRC 15" Horn-loaded 2-way full-range loudspeaker 2-way system, 90° x 50° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Weather Protection Treatment.	\$3,840.00	\$2,880.00
JBL	PD595-WRX	JBL PD595-WRX 15" Horn-loaded 2-way full-range loudspeaker 2-way system, 90° x 50° coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil HF driver and 2031H 75mm (3 in) voice coil LF driver. With Extreme Weather Protection Treatment.	\$4,800.00	\$3,600.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD743	JBL PD743 Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	\$12,449.00	\$9,336.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD743-WRC	JBL PD743-WRC Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$15,600.00	\$11,700.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD743-WRX	<p>JBL PD743-WRX Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$16,800.00	\$12,600.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD764	JBL PD764 Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	\$11,340.00	\$8,505.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD764-WRC	<p>JBL PD764-WRC Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$14,400.00	\$10,800.00
JBL	PD5122	<p>JBL PD5122 High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). *NEW*</p>	\$2,752.00	\$2,064.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD5122-WH	<p>JBL PD5122-WH High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). White finish. *NEW*</p>	\$2,752.00	\$2,064.00
JBL	PD5122-WRC	<p>JBL PD5122-WRC High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH). *NEW*</p>	\$3,944.00	\$2,958.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD5122-WRX	<p>JBL PD5122-WRX High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p> <p>*NEW*</p>	\$4,334.00	\$3,250.50
JBL	PD5125-WRX	<p>JBL PD5125-WRX High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 KHz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p> <p>*NEW*</p>	\$4,636.00	\$3,477.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/43	JBL PD6200/43 High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	\$5,160.00	\$3,870.00
JBL	PD6200/43-WH	JBL PD6200/43-WH High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	\$5,160.00	\$3,870.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/43-WRC	<p>JBL PD6200/43-WRC High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$6,000.00	\$4,500.00
JBL	PD6200/43-WRX	<p>JBL PD6200/43-WRX High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$6,960.00	\$5,220.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/64	JBL PD6200/64 High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	\$3,600.00	\$2,700.00
JBL	PD6200/64-WH	JBL PD6200/64-WH High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	\$3,600.00	\$2,700.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/64-WRC	<p>JBL PD6200/64-WRC High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$4,080.00	\$3,060.00
JBL	PD6200/66	<p>JBL PD6200/66 High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).</p>	\$3,600.00	\$2,700.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/66-WH	JBL PD6200/66-WH High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	\$3,600.00	\$2,700.00
JBL	PD6200/66-WRX	JBL PD6200/66-WRX High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$5,520.00	\$4,140.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/95	JBL PD6200/95 High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	\$3,600.00	\$2,700.00
JBL	PD6200/95-WH	JBL PD6200/95-WH High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	\$3,600.00	\$2,700.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6200/95-WRX	<p>JBL PD6200/95-WRX High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$5,520.00	\$4,140.00
JBL	PD6212/43	<p>JBL PD6212/43 High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).</p>	\$5,640.00	\$4,230.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6212/43-WH	<p>JBL PD6212/43-WH High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs). White finish.</p>	\$5,640.00	\$4,230.00
JBL	PD6212/43-WRC	<p>JBL PD6212/43-WRC High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$6,120.00	\$4,590.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6212/64	JBL PD6212/64 High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	\$4,080.00	\$3,060.00
JBL	PD6212/64-WH	JBL PD6212/64-WH High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish.	\$4,080.00	\$3,060.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6212/64-WRC	<p>JBL PD6212/64-WRC High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$4,860.00	\$3,645.00
JBL	PD6212/66	<p>JBL PD6212/66 High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).</p>	\$4,080.00	\$3,060.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6212/66-WH	<p>JBL PD6212/66-WH High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish.</p>	\$4,080.00	\$3,060.00
JBL	PD6212/66-WRC	<p>JBL PD6212/66-WRC High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$4,860.00	\$3,645.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6212/95	JBL PD6212/95 High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	\$4,080.00	\$3,060.00
JBL	PD6212/95-WH	JBL PD6212/95-WH High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish	\$4,080.00	\$3,060.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6212/95-WRC	<p>JBL PD6212/95-WRC High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Extreme Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$4,860.00	\$3,645.00
JBL	PD6212/95-WRX	<p>JBL PD6212/95-WRX High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$6,240.00	\$4,680.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6322/43	JBL PD6322/43 High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs).	\$6,480.00	\$4,860.00
JBL	PD6322/43-WH	JBL PD6322/43-WH High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs). White finish.	\$6,480.00	\$4,860.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6322/43-WRC	<p>JBL PD6322/43-WRC High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$7,080.00	\$5,310.00
JBL	PD6322/64	<p>JBL PD6322/64 High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).</p>	\$4,800.00	\$3,600.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6322/64-WH	<p>JBL PD6322/64-WH High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.</p>	\$4,800.00	\$3,600.00
JBL	PD6322/66	<p>JBL PD6322/66 High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).</p>	\$4,800.00	\$3,600.00

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6322/66-WH	<p>JBL PD6322/66-WH High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.</p>	\$4,800.00	\$3,600.00
JBL	PD6322/66-WRC	<p>JBL PD6322/66-WRC High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).</p>	\$5,580.00	\$4,185.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PD6322/95	JBL PD6322/95 High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	\$4,800.00	\$3,600.00
JBL	PD6322/95-WH	JBL PD6322/95-WH High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.	\$4,800.00	\$3,600.00
JBL	VLA301	JBL VLA301 High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF	\$14,130.00	\$10,597.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VLA301-WRC	JBL VLA301-WRC High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$15,000.00	\$11,250.00
JBL	VLA301H	JBL VLA301H High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	\$16,050.00	\$12,037.50
JBL	VLA601	JBL VLA601 High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF	\$11,760.00	\$8,820.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VLA601-WRC	JBL VLA601-WRC High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$12,630.00	\$9,472.50
JBL	VLA601H	JBL VLA601H High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	\$13,680.00	\$10,260.00
JBL	VLA901	JBL VLA901 High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF	\$11,760.00	\$8,820.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VLA901-WRC	JBL VLA901-WRC High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$12,630.00	\$9,472.50
JBL	VLA901H	JBL VLA901H High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	\$13,680.00	\$10,260.00
JBL	VLA901H-WRC	JBL VLA901H-WRC High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF. With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).	\$14,554.00	\$10,915.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4880	JBL VT4880 2 x 18" Arrayable Subwoofer for suspension or ground-stacking. Two 2258H 18" Neodymium Magnet, Differential Drive Direct Cooled low frequency loudspeakers. Centrally-vented trapezoid enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, ten handles. Integral end-mounted suspension frames, fully compatible with VT4889 full range line array elements to form articulated line arrays. Suspend with VT4889-AF and/or VT4889-SF Array Frame. Order available –ACC Kit to receive hingebars, dolly and cover. (71.2 kg / 157 lb)	\$6,239.38	\$4,679.53

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4880A	JBL VT4880A 2 x 18" Ultra Long Excursion, High Power Handling Arrayable Subwoofer line array element for suspension or ground stacking. Two new 2269H 457 mm (18") Neodymium Magnet, Differential Drive Direct Cooled low frequency loudspeakers each with 2000W AES/8000W Peak Power Handling. Centrally-vented trapezoid enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, twelve handles. Both NL8, NL4 connectors installed. Integral end-mounted suspension frames, fully compatible with VT4889 full range line array elements to form articulated line arrays. Ships with hingebars. Suspend with VT4889-AF or VT4889-SF Array Frame. (83.9 kg / 185 lb)	\$7,911.80	\$5,933.85

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4880ADP	<p>JBL VT4880ADP Fullsize Powered 2x18" Arrayable Subwoofer. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown Amplification. Two 2269G 18" Differential Drive® Ultra Long Excursion Low Frequency Loudspeakers. Centrally Vented Enclosure, JBL PlyMax® Engineered Enclosure Panels, Patented Integrated Suspension Hardware, Perforated Steel Grilles with Foam Backing, Ten Handles. Suspended Arrays or Ground-Stack Applications. (99.8 kg/220 lb)</p>	\$12,278.76	\$9,209.07
JBL	VT4880ADP-DA	<p>JBL VT4880ADP-DA VT4880ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.</p>	\$13,799.24	\$10,349.43

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4881A	JBL VT4881A Compact 1x18" Very Low Frequency Arrayable Subwoofer. Replaces VT4881. One 2269H 18" Ultra Long Excursion Dual-Coil Differential Drive Woofer. PlyMax™ Engineered Panels, Integrated Suspension, Perforated Steel Grilles With Foam Backing, Six Handles. Pre-Engineered to Accept Optional DrivePack™ Self-Amplification Module with Integral Signal Processing. Includes Both NL4 and NL8 Connectors. Integral End-Mounted Suspension Tubes. Ships with Hingebars. Order Available VT4881-ACC Kit to Receive Dolly and Cover. (60 kg/132 lb).	\$5,026.32	\$3,769.74

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4881ADP	<p>JBL VT4881ADP 1 X 18" Powered Compact Arrayable Subwoofer Equipped with DP1 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Arrayable subwoofer for suspension of ground-stacking. One 2269G 457 mm (18") Differential Drive® Direct Cooled Neodymium Magnet low frequency loudspeaker. Vented enclosure, PlyMax® engineered panels, non-slip rubber stacking feet, integrated rigging, perforated steel grille with foam backing, six handles for suspended or ground-stacked applications. Ships with hingebars. Suspend with VT4887-AF and/or VT4887-SF. Order available –ACC kit to receive dolly and cover. (62.6 kg / 138 lb)</p>	\$7,052.55	\$5,289.41
JBL	VT4881ADP-DA	<p>JBL VT4881ADP-DA VT4881ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.</p>	\$8,574.80	\$6,431.10

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4882	JBL VT4882 Midsize 2x15"Arrayable Subwoofer Loudspeaker for Suspension or Ground-Stacking. Two 2266H 381 mm (15") Differential Drive® Cooled Neodymium Magnet Low Frequency Loudspeakers. Centrally-vented trapezoidal Enclosure, PlyMax™ Engineered Panels, Perforated Steel Grille with Foam Backing, 8 Handles. Integral End-Mounted Suspension Tubes, Fully Compatible with VT4888 Full Range Line Array Elements to Form Articulated Line Arrays. 28 Hz to 120 Hz Frequency Range. 137 dB, 1m. Ships with Suspension Hinge Bars. 457 x 1013 x 858 mm. (18 x 39.9 x 33.8 in.) 52 kg (114.6 lb)	\$5,602.79	\$4,202.09

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4882DP	<p>JBL VT4882DP Powered 2x15" Midsize Arrayable Subwoofer Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Arrayable subwoofer for suspension or ground-stacking. Two 2266H 381 mm (15") Differential Drive® Direct Cooled Neodymium Magnet low frequency loudspeakers. Centrally-vented trapezoidal enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, 8 handles. Integrated suspension. Fully compatible with VT4888 or VT4888DP full range line array elements to form articulated arrays. (73.9 kg / 163 lb)</p>	\$9,022.10	\$6,766.57
JBL	VT4882DP-DA	<p>JBL VT4882DP-DA VT4882DP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.</p>	\$10,572.64	\$7,929.48

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4883	JBL VT4883 Subcompact 2 x 12" Cardioid-Arrayable Subwoofer Loudspeaker with 2x JBL Differential Drive® dual voice coil and dual magnetic gap 2263H-1 12" long-excursion low frequency drivers. Vented-Bandpass Enclosure Topology with Rigid Internal Bracing. Pole Mount. Designed for Reverse-Arrayable Orientation to create Gradient Cardioid Subwoofer Arrays. Patented Integrated Suspension Hardware. Perforated Steel Grilles with Foam Backing, Four Handles. NL8 and NL4 Connectors with Front Auxiliary Connector. Combine in Arrays with VT4886.	\$4,536.48	\$3,402.36

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4886	<p>JBL VT4886 Subcompact 2 x 6.5" Passive 3-Way High Directivity Line Array Element Loudspeaker with 2x JBL Differential Drive® dual voice coil and dual magnetic gap 2166H 165mm (6.5") low frequency drivers, 4x 2103G 2.5" midrange drivers and 2x 2414H high-frequency 25.4mm (1 in) voice-coil compression drivers. Integrated MF/HF Waveguide with RBI (Radiation Boundary Integrator® and Thermomaster® Technology, Three-way passive network, Patented Integrated Suspension Hardware. Perforated Steel Grilles with Foam Backing, Two Handles. NL8 and NL4 Connectors. Combine to Form Articulated Arrays.</p>	\$4,374.24	\$3,280.68
JBL	VT4887A	<p>JBL VT4887A Bi-Amplified Three-Way High Directivity Compact Line Array Element. Replaces VT4887. Two 2168J-1 8" Differential Drive® loudspeakers with extended low frequency response; four 5.5" 2106H midrange, cone transducers, and two 2408H compact neodymium ring radiators with 1" exit. Now includes both NL4 and NL8 connectors. Ships with hingebars. Order available VT4887-ACC Kit to receive dolly and cover. (29.9 kg / 66 lb)</p>	\$6,080.26	\$4,560.19

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4887ADP-DA	JBL VT4887ADP-DA VT4887ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$10,021.02	\$7,515.76
JBL	VT4888	JBL VT4888 Three-Way High Directivity Midsize Line Array Element. Precision waveguides, Radiation Boundary Integrators, two 2162H 12" Differential Drive® low frequency loudspeakers, four 2106H midrange cone transducers, two 2431H compact neodymium compression drivers with 3" diameter diaphragm, axially-symmetrical enclosure, PlyMax® engineered panels, integrated suspension, perforated steel grilles with foam backing, six handles. Pre-engineered to accept optional DrivePack® self-amplification module with integral signal processing. Combine to form articulated line arrays. Ships with hingebars. Order available –ACC Kit to receive dolly and cover. (52.2 kg / 115 lb)	\$9,048.62	\$6,786.46

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4888DP	<p>JBL VT4888DP Powered 3-Way High Directivity Midsize Line Array Element Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Precision Waveguides. Radiation Boundary Integrators, two 2262HPL 12" Differential Drive® low frequency loudspeakers, four 2106H midrange cone transducers, two 2431H compact neodymium compression drivers with 3" diameter diaphragm, axially-symmetrical enclosure, JBL PlyMax® engineered panels, integrated rigging, perforated steel grills with foam backing, six handles. Combine to form articulated arrays. (68 kg / 150 lb)</p>	\$12,423.74	\$9,317.80

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4889	<p>JBL VT4889 Three-Way High Directivity Full Size Line Array Element Loudspeaker with advanced composite enclosure materials. High frequency waveguide, Radiation Boundary Integrator™, two 2255H 15" Differential Drive® low frequency loudspeakers with neodymium magnets, four 2250H 8" midrange cone transducers with neodymium magnets, three JBL 2435H compact neodymium compression drivers with 3" diameter beryllium diaphragm, axially-symmetrical enclosure, integrated rigging, perforated steel grilles with foam backing, eight handles. Combine to form articulated line arrays. Suspend with VT4889-AF or VT4889-SF Array Frame. Ships with hingebars and accessories (dolly and cover). (72 kg / 160 lb)</p>	\$21,139.04	\$15,854.28
JBL	VT4889-1	<p>JBL VT4889-1 Three-Way High Directivity Full Size Line Array Element Loudspeaker with PlyMax® wooden enclosure materials. Identical suspension, component transducers, and acoustical performance to existing VT4889 composite-shell model. Ten handles. Ships with hingebars. (78.9 kg / 174 lb)</p>	\$12,932.92	\$9,699.69

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
		JBL VT4889ADP Fullsize Powered 3-Way High Directivity Line Array Element Loudspeaker. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown Amplification. Precision Waveguides. Radiation Boundary Integrators, Two 2265H 15" Differential Drive® Low Frequency Loudspeakers, Four 2169H Midrange Cone Transducers, Three 2435HPL Compact Neodymium Compression Drivers with 3" Diameter Diaphragm. Axially-Symmetrical Enclosure, JBL PlyMax® Engineered Enclosure Panels, Patented Integrated Suspension Hardware, Perforated Steel Grilles with Foam Backing, Eight Handles. Combine to Form Articulated Arrays. (92 kg/203 lb)		
JBL	VT4889ADP		\$18,077.80	\$13,558.35
JBL	DPDA-VT4880A	JBL DPDA-VT4880A DPDA input module only, programmed to convert a VT4881ADP, -AN or -CN. With instructions.	\$1,757.60	\$1,318.20
JBL	DPDA-VT4881A	JBL DPDA-VT4881A DPDA input module only, programmed to convert a VT4880ADP, -AN or -CN. With instructions.	\$1,757.60	\$1,318.20
JBL	DPDA-VT4882	JBL DPDA-VT4882 DPDA input module only, programmed to convert a VT4882DP, -AN or -CN. With instructions	\$1,757.60	\$1,318.20

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	DPDA-VT4887A	JBL DPDA-VT4887A DPDA input module only, programmed to convert a VT4887ADP, -AN or -CN. With instructions	\$1,757.60	\$1,318.20
JBL	DPDA-VT4888	JBL DPDA-VT4888 DPDA input module only, programmed to convert a VT4888DP, -AN or -CN. With instructions.	\$1,757.60	\$1,318.20
JBL	DPDA-VT4889A	JBL DPDA-VT4889A DPDA input module only, programmed to convert a VT4889ADP, -AN or -CN. With instructions.	\$1,757.60	\$1,318.20
JBL	VT4889ADP-DA	JBL VT4889ADP-DA VT4889ADP with standard DPDA input module. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$19,598.28	\$14,698.71
JBL	VTDP1-81ADA-UK	JBL VTDP1-81ADA-UK DP-1 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4881A to a powered system. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$3,974.88	\$2,981.16
JBL	VTDP2-87ADA-UK	JBL VTDP2-87ADA-UK DP-2 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4887A to a powered system. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$3,974.88	\$2,981.16

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTDP3-80ADA-UK	JBL VTDP3-80ADA-UK DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4880A to a powered system. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$5,046.08	\$3,784.56
JBL	VTDP3-82DA-UK	JBL VTDP3-82DA-UK DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4882 to a powered system. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$4,969.12	\$3,726.84
JBL	VTDP3-88DA-UK	JBL VTDP3-88DA-UK DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4888 to a powered system. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible	\$4,969.12	\$3,726.84
JBL	VTDP3-89ADA-UK	JBL VTDP3-89ADA-UK DP-3 JBL DrivePack amplification assembly with instructions and DPDA input module. For converting a passive VT4889-1 to a powered system. AES for digital audio and network for remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	\$5,046.08	\$3,784.56

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4800-CA	JBL VT4800-CA Compact Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4887 and/or VT4881 from VT4888 or VT4882. Includes hingebar set for VT4887/VT4881. Aluminum, black. (32.5 kg / 72 lb)	\$4,049.76	\$3,037.32
JBL	VT4800-DA	JBL VT4800-DA Downfill Adapter Frame for suspending up to four VT4887 beneath VT4889 or VT4880 arrays. Steel, black. (25 kg / 56 lb)	\$2,835.04	\$2,126.28
JBL	VT4800-UA	JBL VT4800-UA Universal Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4888/VT4882 and/or VT4887/VT4881 from VT4880 or VT4889 arrays. Includes hingebar sets for VT4888, VT4887/VT4881. Aluminum, black. (43 kg / 95 lb)	\$5,200.00	\$3,900.00
JBL	VT4880A-ACC	JBL VT4880A-ACC Accessory Kit for VT4880A Subwoofer is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4880A: (1) VT4880-DOLLY, (1) VT4880-COVER. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. Important Note: Order one VT4880A-ACC with each VT4880A. (20 kg / 42 lb)	\$1,185.60	\$889.20

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4880-ACC	<p>JBL VT4880-ACC Accessory Kit for VT4880 subwoofer is sold and shipped as a separate item. Includes all items necessary for proper transport, protection and coupling suspension of one VT4880: (1) VT4880-DOLLY, (1) VT4880-COVER, and (1) VT4889-RIG (set of four required hinge bars for suspension of the enclosure in arrays). Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black.</p> <p>Important Note: order one VT4880-ACC with each VT4880. (20 kg / 50 lb)</p>	\$1,572.48	\$1,179.36
JBL	VT4880ADP-ACC	<p>JBL VT4880ADP-ACC Accessory Kit for VT4880ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains (1) VT4880-DOLLY protective wheelboard and (1) VT4880ADP-COVER with rigid foam blocks and protective metal plates for JBL DrivePack</p>	\$1,587.04	\$1,190.28

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4881-ACC	JBL VT4881-ACC Accessory Kit for VT4881A Midsize Line Array Element is Sold and Shipped as a Separate Item. Includes Items Necessary for Proper Transport and Protection of One VT4881: (1) Protective Cover/Dolly Wheelboard, and (1) Cover. Dolly Has Integral Handles, Plywood, Black. Cover is Rugged Soft Padded Bag with Straps, Black.	\$1,025.44	\$769.08
JBL	VT4881ADP-ACC	JBL VT4881ADP-ACC Accessory Kit for VT4881ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4881ADP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, rigid foam blocks, and metal panels to protect JBL DrivePack electronics.	\$1,443.52	\$1,082.64
JBL	VT4882DP-ACC	JBL VT4882DP-ACC Accessory Kit for VT4882DP systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4882DP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	\$1,474.72	\$1,106.04

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4882-ACC	JBL VT4882-ACC Accessory Kit for VT4882 Midsize Subwoofer. Includes Items Necessary for Transport and Protection of One VT4882: (1) VT4882 -Dolly and (1) VT4882- Cover. Dolly has Integral Handles, Plywood, Black. Sold and Shipped Separately. 165.5 x 1013 x 546 mm	\$1,073.28	\$804.96
JBL	VT4886-AF	JBL VT4886-AF Subcompact System Array Frame for suspension of VT4883, VT4886 or mixed VT4883/VT4886 arrays. Mates to integrated suspension hardware on both models. Can also be used for ground stacking. Machined Aluminum with Graded Assembly Hardware. Receiver Blocks and Steel Quick Release Pins with Restraining Lanyards. Black.	\$2,595.84	\$1,946.88
JBL	VT4886-DF88	JBL VT4886-DF88 Subcompact System Downfill Frame for suspension of up to 8 VT4886 Subcompact line array elements beneath Midsize VT4888 full-range or VT4882 subwoofer arrays. Mates to integrated suspension hardware on both models. Machined Aluminum with Integral Hingebars. Aluminum Receiver Blocks and Steel Quick Release Pins with Restraining Lanyards. Weight 11.3 kg (25 lb). Black.	\$2,456.48	\$1,842.36

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4886-DF89	JBL VT4886-DF89 Subcompact System Downfill Frame for suspension of up to 8 VT4886 Subcompact line array elements beneath Fullsize VT4889/VT4889-1 full- range or VT4880/VT4880A subwoofer arrays. Mates to integrated suspension hardware on both models. Machined Aluminum with Integral Hingebars. Aluminum Receiver Blocks and Steel Quick Release Pins with Restraining Lanyards. Weight 13.4 kg (29.5 lb). Black	\$2,654.08	\$1,990.56
JBL	VT4886-HB	JBL VT4886-HB Subcompact System Horizontal Bracket for suspension of up to six VT4886 line array elements in constant- coverage horizontally oriented arrays. Mates to integrated suspension hardware on VT4886. Machined Aluminum with Integral Hingebars. Weight 8.7kg (19.1 lb.) Black	\$1,526.72	\$1,145.04

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4886-SF	JBL VT4886-SF Subcompact System Short Frame for suspension of VT4886 arrays. Mates to integrated suspension hardware on VT4886. Can also be used for ground stacking. Machined Aluminum with Graded Assembly Hardware. Aluminum Receiver Blocks and Steel Quick Release Pins with Restraining Lanyards. An attachment point for Bottom-array. Weight 5.8 kg (12.8 lb). Black.	\$2,096.64	\$1,572.48
JBL	VT4886-UB	JBL VT4886-UB Mounting cradle for VT4886's. Base unit holds 1-2, extender plates enable up to 3 speakers total with 90-degree tilt option, attachment pin set, locking knobs. Steel, black.	\$433.00	\$324.75
JBL	VT4886-UB2	JBL VT4886-UB2 Mounting cradle for VT4886's. Base unit holds 1-2, extender plates enable up to 3 speakers total with 90-degree tilt option, attachment pin set, locking knobs. Steel, black.	\$432.64	\$324.48
JBL	VT4887A-ASP	JBL VT4887A-ASP Acoustical Spares Kit for VT4887A. Includes (1) 2168J-1 8" speaker, (2) 2104H midrange speaker, and (2) 2408H high frequency drivers. Recommend purchase (1) VT4887A-ASP for each (12) enclosures used in portable or touring conditions	\$1,628.64	\$1,221.48

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4887-ACC	<p>JBL VT4887-ACC Accessory Kit for VT4887A compact line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4887A: (1) protective cover/dolly wheelboard; and (1) cover. Dolly is plywood, black. Cover is rugged soft padded bag with straps, black</p>	\$848.64	\$636.48
JBL	VT4887ADP-ACC	<p>JBL VT4887ADP-ACC Accessory Kit for VT4887ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4887ADP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.</p>	\$1,185.60	\$889.20
JBL	VT4887-AF	<p>JBL VT4887-AF Array Frame for suspending VT4887A or VT4881A enclosures, including powered models, in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 6 units. Aluminum, black. (36 kg / 80 lb)</p>	\$4,045.60	\$3,034.20

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4887-MSP	<p>JBL VT4887-MSP Mechanical Spares Kit for VT4887A or VT4887. Includes quantity of screws, lanyards, and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) suspension tube set w/screws, (2) rear hingebars, (2) front hingebars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. Recommend purchase (1) VT4887-MSP for each (12) enclosures used in portable or touring conditions.</p>	\$1,595.36	\$1,196.52
JBL	VT4887-SF	<p>JBL VT4887-SF Short Frame for suspending VT4887A or VT4881A enclosures, including powered models, in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 4 units. Aluminum, black. (18 kg / 40 lb)</p>	\$2,674.88	\$2,006.16
JBL	VT4888-ACC	<p>JBL VT4888-ACC Accessory Kit for VT4888 midsize line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4888: (1) protective cover/dolly wheelboard, and (1) cover. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black.</p>	\$865.28	\$648.96

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4888-AF	JBL VT4888-AF Array Frame for suspending VT4888 or VT4882 enclosures, including powered models. Also enables ground-stacking up to 6 units. Aluminum, black. (38 kg / 83 lb)	\$4,407.52	\$3,305.64
JBL	VT4888-ASP	JBL VT4888-ASP Acoustical Spares Kit for VT4888. Includes (1) 2262H 12" speaker, (2) 2106H midrange speakers, and (2) diaphragm kits for 2431H compression driver. Recommend purchase (1) VT4888-ASP for each (12) enclosures used in portable or touring conditions.	\$3,176.16	\$2,382.12
JBL	VT4888DP-ACC	JBL VT4888DP-ACC Accessory Kit for VT4888DP systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4888DP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	\$1,395.68	\$1,046.76

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4888-MSP	<p>JBL VT4888-MSP Mechanical Spares Kit for VT4888. Includes quantity of screws, lanyards, and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging tube set w/screws, (2) rear hingebars, (2) front hingebars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. Recommend purchase (1) VT4888-MSP for each (12) enclosures used in portable or touring conditions</p>	\$1,628.64	\$1,221.48
JBL	VT4888-SF	<p>JBL VT4888-SF Short Frame for suspending VT4888 or VT4882 enclosures, including powered models, in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 4 units. Aluminum, black. (19 kg / 42 lb)</p>	\$2,739.36	\$2,054.52
JBL	VT4889-1-ACC	<p>JBL VT4889-1-ACC SALES MODEL, VT4889-1-ACC</p>	\$1,185.60	\$889.20

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4889ADP-ACC	JBL VT4889ADP-ACC Accessory Kit for VT4889ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains (1) VT4889-DOLLY protective wheelboard and (1) VT4889ADP-COVER with rigid foam blocks and protective metal plates for JBL DrivePack.	\$1,555.84	\$1,166.88
JBL	VT4889-AF	JBL VT4889-AF Array Frame for suspending or ground stacking VTX V25, VTX S28, VT4889, VT4889-1, VT4880, VT4880A enclosures. Weight 45 kg (100 lb). Aluminum, black.	\$4,721.60	\$3,541.20
JBL	VT4889-ASP	JBL VT4889-ASP Acoustical Spares Kit for VT4889, VT4889-1. Includes minimum anticipated spare loudspeakers and replacement diaphragms that a system owner may require during field use. Contains (1) 2255H 15" speaker, (2) 2250H 8" speakers, and (3) diaphragm kits for 2435H compression driver. System User Guide included. Recommend purchase (1) VT4889-ASP for each (12) VT4889 enclosures used in portable or touring conditions.	\$5,632.64	\$4,224.48

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VT4889-MSP	<p>JBL VT4889-MSP Mechanical Spares Kit for VT4889, VT4889-1. Includes quantity of screws, lanyards and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) suspension frame w/screws, (2) rear hinge bars, (2) front hinge bars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. System User Guide included. Recommend purchase (1) VT4889-MSP for each (12) VT4889 enclosures used in portable or touring conditions.</p>	\$2,957.76	\$2,218.32
JBL	VT4889-SF	<p>JBL VT4889-SF Short Frame for suspending or ground stacking VTX V25, VTX S28, VT4889, VT4889-1, VT4880, VT4880A enclosures. Can also be used on the bottom of arrays for rear pullback suspension. Weight 24 kg (52 lb). Aluminum, black.</p>	\$3,305.12	\$2,478.84

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-V20	<p>JBL VTX-V20 VTX V Series V20 Midsize 3-Way Line Array Element featuring patented D2 dual diaphragm dual driver technology, Differential Drive® LF transducers and ultra linear MF transducers. Includes: (3x) D2415K D2 compression drivers; (2x) 2261H dual 3-inch voice coil, dual magnet 10" transducers; (4x) 2164H 4" midrange transducers. Includes captive suspension hardware. Transportation and handling accessories supplied separately. Weight 40 kg (88 lb). Black.</p>	\$11,355.75	\$8,516.81
JBL	VTX-V25-II	<p>JBL VTX-V25-II VTX V Series V25-II Fullsize 3-Way Line Array Element (Fixed Angle / Tension Suspension) featuring patented D2 dual diaphragm dual driver technology and Differential Drive® LF and MF cone transducers. Includes: (3x) D2430K D2 compression drivers; (2x) 2267H dual 4-inch voice coil, dual magnet 15" transducers; (4x) 2169H Differential Drive® 8" transducers; captive fixed angle/tension suspension hardware. Transportation and handling accessories supplied separately. Weight 82.5 kg (182 lb). Black.</p>	\$19,567.94	\$14,675.95

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-V25-II-CS	JBL VTX-V25-II-CS VTX V Series V25-II-CS Fullsize 3-Way Line Array Element (Compression Suspension) featuring patented D2 dual diaphragm dual driver technology and Differential Drive® LF and MF cone transducers. Includes: (3x) D2430K D2 compression drivers; (2x) 2267H dual 4-inch voice coil, dual magnet 15" transducers; (4x) 2169H Differential Drive® 8" transducers; captive compression suspension hardware. Transportation and handling accessories supplied separately. Weight 82.5 kg (182 lb). Black.	\$19,567.94	\$14,675.95

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-S25	<p>JBL VTX-S25 VTX Series S25 Suspendable Dual 15" Subwoofer. Companion subwoofer for VTX V20 featuring ultra long throw, patented Differential Drive® LF transducers configured in a front-loaded alignment with large area, laminar-flow, low-turbulence central ports. Includes: (2x) 2267H dual 4-inch voice coil, dual magnet 15" transducers; captive suspension hardware; front NL4 connector for use when S25 enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Rectangular form factor facilitates cardioid configurations (ground stacked or suspended). Transportation and handling accessories supplied separately. Weight 65 kg (143 lb). Black.</p>	\$8,425.92	\$6,319.43

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-S28	JBL VTX-S28 VTX Series S28 Suspendable Dual 18" Subwoofer featuring ultra long throw, patented Differential Drive® VLF transducers configured in a front-loaded alignment with large area, laminar-flow, low-turbulence central port. Includes: (2x) 2269H dual 4-inch voice coil, dual magnet 18" transducers; captive suspension hardware; front NL4 connector for use when S28 enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Trapezoidal form factor facilitates tightly-packed cardioid configurations (ground stacked or suspended). Transportation and handling accessories supplied separately. Weight 81.6 kg (180 lb). Black.	\$9,690.24	\$7,267.68

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-G28	<p>JBL VTX-G28 VTX Series G28 Ground-Stack Dual 18" Subwoofer featuring ultra long throw, patented Differential Drive® LF transducers configured in a pseudo-vented-bandpass alignment with inverted woofers (motors out) for improved cooling and reduced power compression. Large area, laminar-flow, low-turbulence central port. Includes: (2x) 2269H dual 4-inch voice coil, dual magnet 18" transducers; front NL4 connector for use when G28 enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Rectangular form factor for convenient ground stacking. Transportation and handling accessories supplied separately. Weight 92.5 kg (204 lb). Black</p>	\$8,039.15	\$6,029.36

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-F12	JBL VTX-F12 VTX F Series F12 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone transducer. Includes: (1x) D2430K D2 compression driver mounted on 90x50 degree Progressive Transition waveguide; (1x) 2262H dual 3-inch voice coil, dual magnet 12" transducer. Integral pole mount socket and M10 mount points. Optional VTX F12-UB universal bracket available. Weight 18.6 kg (41 lb). Black.	\$3,290.00	\$2,467.50
JBL	VTX-F15	JBL VTX-F15 VTX F Series F15 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone transducer. Includes: (1x) D2430K D2 compression driver mounted on 90x50 degree Progressive Transition waveguide; (1x) 2265H dual 3-inch voice coil, dual magnet 15" transducer. Integral pole mount socket and M10 mount points. Optional VTX F15-UB universal bracket available. Weight 22.9 kg (50.5 lb). Black.	\$3,990.00	\$2,992.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-F18S	JBL VTX-F18S VTX F Series F18S Compact Subwoofer Enclosure featuring ultra long throw, patented Differential Drive® LF transducer configured in a front-loaded alignment with large area, laminar-flow, low-turbulence ports. Includes: (1x) 2269H dual 4-inch voice coil, dual magnet 18" transducer; front NL4 connector for use when F18S enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Compact rectangular form factor. Weight 45.4 kg (100 lb). Black.	\$3,773.70	\$2,830.27

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSX-F35	<p>JBL CSX-F35 CSX: F35, high output three-way full range system. Designed to address a wide range of applications, where high-impact, high-fidelity audio, needs to be delivered. The trapezoidal full-range, CSX F35 will be the go-to choice for customers needing high-power side-fills, mains speakers, or a V5-compliant high-performance compliment to a larger VTX system. The CSX-F35 has exceptional power-to-weight ratio thanks to its lightweight, Differential Drive 2265H- 15" and 2169H-8" transducers. High Frequency is delivered from a D2 driver coupled to a multi-band Progressive Transition Waveguide and available in 60x40 or 90x50 coverage patterns. The CSX F-35 is Stackable and includes M10 mounting points.</p>	\$6,550.00	\$4,912.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CSX-F35/64; /95	<p>JBL CSX-F35/64; /95 CSX: F35, high output three-way full range system. Designed to address a wide range of applications, where high-impact, high-fidelity audio, needs to be delivered. The trapezoidal full-range, CSX F35 will be the go-to choice for customers needing high-power side-fills, mains speakers, or a V5-compliant high-performance compliment to a larger VTX system. The CSX-F35 has exceptional power-to-weight ratio thanks to its lightweight, Differential Drive 2265H- 15" and 2169H-8" transducers. High Frequency is delivered from a D2 driver coupled to a multi-band Progressive Transition Waveguide and available in 60x40 or 90x50 coverage patterns. The CSX F-35 is Stackable and includes M10 mounting points.</p>	\$6,550.00	\$4,912.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-M20	<p>JBL VTX-M20 VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest output stage monitoring applications, including high profile concerts, broadcast events or fixed installations. The line is comprised of the dual-10" VTX M20 and the dual-12" VTX M22 both featuring neodymium Differential Drive woofers making the two products some of the lightest monitors in their class. The high frequency section features a unique newly developed, diamond shaped waveguide that is based on JBL's Image Control technology - a technology originally developed for the M2 Master Reference studio monitor. The new waveguide coupled with a D2 Dual Diaphragm high frequency delivers a symmetrical 60H x 60V coverage pattern that is spatially consistent, allowing M-Series to reach excellent gain before feedback performance. Both the M20 and M22 can be configured to operate in Single Channel or Dual Channel (Bi-Amp) modes via the easily accessible mode selection switches.</p>	\$3,850.00	\$2,887.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-M22	<p>JBL VTX-M22 VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest output stage monitoring applications, including high profile concerts, broadcast events or fixed installations. The line is comprised of the dual-10" VTX M20 and the dual-12" VTX M22 both featuring neodymium Differential Drive woofers making the two products some of the lightest monitors in their class. The high frequency section features a unique newly developed, diamond shaped waveguide that is based on JBL's Image Control technology - a technology originally developed for the M2 Master Reference studio monitor. The new waveguide coupled with a D2 Dual Diaphragm high frequency delivers a symmetrical 60H x 60V coverage pattern that is spatially consistent, allowing M-Series to reach excellent gain before feedback performance. Both the M20 and M22 can be configured to operate in Single Channel or Dual Channel (Bi-Amp) modes via the easily accessible mode selection switches.</p>	\$4,690.00	\$3,517.50
JBL	VTX-F12-UB	<p>JBL VTX-F12-UB VTX-F12 Universal Bracket (Includes Pole Mount and Stacking Feet)</p>	\$455.00	\$341.25
JBL	VTX-F15-UB	<p>JBL VTX-F15-UB VTX-F15 Universal Bracket (Includes Pole Mount and Stacking Feet)</p>	\$455.00	\$341.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-G28-ACC	JBL VTX-G28-ACC VTX G28 Accessory Cover Caster-Board for transportation and protection of one G28 enclosure. Includes: padded, reinforced protective cover with handle cutouts and rear panel access flap; dolly wheel-board with rugged, tour grade casters and rotating cam mechanism for secure attachment.	\$1,901.20	\$1,425.90
JBL	VTX-LZ	JBL VTX-LZ VTX Series Laser Unit installation accessory. Includes mount bracket for attachment to V25. Black.	\$280.00	\$210.00
JBL	VTX-LZ-8788-MB	JBL VTX-LZ-8788-MB VTX Series Laser Unit VT4887 VT4888 Mount Bracket accessory. Allows attachment of VTX-LZ to VT4887, VT4887A, VT4888, VT4887ADP, VT4888DP, VT4882 or VT4882DP enclosures. Compatible with VTX-LZ or VTX-LZ-K. Black.	\$343.00	\$257.25
JBL	VTX-LZ-89-MB	JBL VTX-LZ-89-MB VTX Series Laser Unit VT4889 Mount Bracket accessory. Allows attachment of VTX-LZ to VT4889, VT4889ADP, VT4880, VT4880A or VT4880ADP enclosures. Compatible with VTX-LZ or VTX-LZ-K. Black.	\$343.00	\$257.25
JBL	VTX-LZ-PS	JBL VTX-LZ-PS VTX Series Laser Power Supply installation accessory. Replacement or spare rechargeable power supply unit. Black.	\$210.00	\$157.50
JBL	VTX-LZ-V20-MB	JBL VTX-LZ-V20-MB VTX Series Laser Mount Bracket Adapter for VTX-V20	\$154.00	\$115.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-LZ-V25-MB	JBL VTX-LZ-V25-MB VTX Series Laser Mount Bracket Adapter for VTX-V25	\$87.50	\$65.62
JBL	VTX-S25-VT	JBL VTX-S25-VT VTX S25 Vertical Transporter for transportation of up to three VTX S25 enclosures in a vertical column in either front-firing or cardioid mode. Includes: dolley board with four tour grade casters (2 locking casters per dolley board). Reinforced protective cover (VTX-S25-VT-CVR) supplied separately.	\$973.00	\$729.75
JBL	VTX-S25-VT-CVR	JBL VTX-S25-VT-CVR VTX S25 Vertical Transporter Cover for use with VTX-S25-VT. Modular, reconfigurable design allows for protection of two or three VTX S25 enclosures in either front-firing or cardioid mode.	\$1,071.00	\$803.25
JBL	VTX-S28-ACC	JBL VTX-S28-ACC VTX S28 Accessory Cover Caster-Board for transportation and protection of one S28 enclosure. Includes: padded, reinforced protective cover with handle cutouts and rear panel access flap; dolly wheel-board with rugged, tour grade casters and rotating cam mechanism for secure attachment.	\$1,626.80	\$1,220.10

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-S28-VTC	JBL VTX-S28-VTC VTX S28 Vertical Transporter for transportation of up to three VTX S28 enclosures in a vertical column in either front-firing or cardioid mode. Includes: dolley board with four tour grade casters (2 locking casters per dolley board). Reinforced protective cover (VTX-S28-VT-CVR) supplied separately.	\$1,925.00	\$1,443.75
JBL	VTX-S28-VT-CVR	JBL VTX-S28-VT-CVR VTX S28 Vertical Transporter Cover for use with VTX-S28-VT. Modular, reconfigurable design allows for protection of three VTX S28 enclosures in either front-firing or cardioid mode.	\$1,211.00	\$908.25
JBL	VTX-V20-AF	JBL VTX-V20-AF VTX V20 ARRAY FRAME for suspending or ground stacking VTX V20 or VTX S25 enclosures. Includes leveling screw jacks; optional extension bar available. Weight 46.3 kg (102 lb). Steel, black.	\$4,900.00	\$3,675.00
JBL	VTX-V20-AF-EB	JBL VTX-V20-AF-EB VTX V20 ARRAY FRAME EXTENSION BAR for use with VTX-V20-AF, front- or rear-mounted. Single (central) or dual (side-mounted) extension bars can be used for added stability and tilt adjustment to facilitate ground stacked systems. Weight 22.7 kg (50 lb). Steel, black.	\$1,428.00	\$1,071.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-V20-DF	JBL VTX-V20-DF VTX V20 DOWNFILL ADAPTER Frame for suspension of up to 6 VTX V20 line array elements beneath VTX V25, V25-CS, V25-II, and V25-II-CS arrays. Mates to integrated suspension, has attachment points for compression of V25-CS and V25-II-CS arrays.	\$4,445.00	\$3,333.75
JBL	VTX-V20-LH	JBL VTX-V20-LH Columbus McKinnon (CM) Series 653 ¾ ton manual lever hoist	\$749.00	\$561.75
JBL	VTX-V20-PB	JBL VTX-V20-PB VTX V20 PULL BACK ADAPTER for attachment to bottom V20 enclosure to facilitate rear pull back (compression-style) suspension. Weight TBD kg (TBD lb). Steel, black.	\$1,393.00	\$1,044.75
JBL	VTX-LZ-K	JBL VTX-LZ-K VTX Series Laser Kit installation accessory. Includes 2x VTX-LZ lasers and 1x VTX-LZ-PS rechargeable power supply unit. Includes mount brackets for attachment to VTX V25. Black.	\$770.00	\$577.50
JBL	VTX-V20-VT	JBL VTX-V20-VT VTX V20 Vertical Transporter for transportation of up to four VTX V20 enclosures in a vertical column. Includes: dolly board with four tour grade casters (2 locking casters per dolly board). Reinforced protective cover (VTX-V20-VT-CVR) supplied separately.	\$1,253.00	\$939.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-V20-VT-CVR	JBL VTX-V20-VT-CVR VTX V20 Vertical Transporter Cover for use with VTX-V20-VT. Modular, reconfigurable design allows for protection of three to four VTX V20 enclosures.	\$882.00	\$661.50
JBL	VTX-V20-VT-CVRW	JBL VTX-V20-VT-CVRW VTX V20 Vertical Transporter Wrap Cover for use with VTX-V20-VT. Allows for protection of three to four VTX V20 enclosures without the need to remove the VTX-V20-AF from the top of a stack of VTX V20 enclosures.	\$882.00	\$661.50
JBL	VTX-V25-ACC	JBL VTX-V25-ACC VTX V25 Accessory Cover Caster-Board for transportation and protection of one V25 enclosure. Includes: padded, reinforced protective cover with handle cutouts and rear panel access flap; dolly wheel-board with rugged, tour grade casters and rotating cam mechanism for secure attachment.	\$1,398.60	\$1,048.95
JBL	VTX-V25-AF	JBL VTX-V25-AF VTX V25 ARRAY FRAME - TOURING for suspending or ground stacking VTX V25 or VTX S28 enclosures. Includes leveling screw jacks; optional extension bar available. Weight 80.3 kg (176.9 lb). Steel, black.	\$6,125.00	\$4,593.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-V25-AF-EB	JBL VTX-V25-AF-EB VTX V25 ARRAY FRAME EXTENSION BAR for use with VTX-V25-AF, front- or rear-mounted. Single (central) or dual (side-mounted) extension bars can be used for added stability and tilt adjustment to facilitate ground stacked systems. Weight 32.3 kg (71.1 lb). Steel, black.	\$1,890.00	\$1,417.50
JBL	VTX-V25-CS-K	JBL VTX-V25-CS-K VTX V25 COMPRESSION SUSPENSION KIT for converting 1x VTX V25 enclosure to compression-style suspension. Includes: 2x labels, 2x slot hinge bars, 2x ASM bars, 2x QRP lanyard assemblies and mount hardware. Label application jig supplied separately with order. Weight TBD kg (TBD lb). Steel, black.	\$805.00	\$603.75
JBL	VTX-V25-CS-K-LJ	JBL VTX-V25-CS-K-LJ VTX V25 COMPRESSION SUSPENSION KIT LABEL JIG INSTALLATION FIXTURE (1X LABEL JIG PER CS-K ORDER)	\$140.00	\$105.00
JBL	VTX-V25-LH	JBL VTX-V25-LH VTX V25 LEVER HOIST for attachment to VTX-V25-PB pull back adapter to facilitate rear pull back (compression-style) suspension. Weight TBD kg (TBD lb). Steel, black.	\$1,113.00	\$834.75
JBL	VTX-V25-PB	JBL VTX-V25-PB VTX V25 PULL BACK ADAPTER for attachment to bottom V25 enclosure to facilitate rear pull back (compression-style) suspension. Weight TBD kg (TBD lb). Steel, black.	\$1,526.00	\$1,144.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VTX-V25-VTC	JBL VTX-V25-VTC VTX V25 Vertical Transporter for transportation of up to four VTX V25 enclosures in a vertical column. Includes: dolley board with four tour grade casters (2 locking casters per dolley board). Reinforced protective cover (VTX-V25-VT-CVR) supplied separately.	\$1,715.00	\$1,286.25
JBL	VTX-V25-VT-CVR	JBL VTX-V25-VT-CVR VTX V25 Vertical Transporter Cover for use with VTX-V25-VT. Modular, reconfigurable design allows for protection of three to four VTX V25 enclosures.	\$1,211.00	\$908.25
JBL	VTX-V25-VT-CVRW	JBL VTX-V25-VT-CVRW VTX V25 Vertical Transporter Wrap Cover for use with VTX-V25-VTC. Allows for protection of three to four VTX V25 enclosures without the need to remove the VTX-V25-AF from the top of a stack of VTX V25 enclosures.	\$1,211.00	\$908.25
JBL	VTX-V25-WG-UK	JBL VTX-V25-WG-UK WAVEGUIDE UPGRADE KIT	\$800.00	\$600.00
JBL	VRX928LA	JBL VRX928LA 8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	\$1,779.00	\$1,334.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VRX928LA-WH	JBL VRX928LA-WH 8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression Driver HF on Constant Curvature Waveguide; Dual Angle Pole Socket and Integral Rigging Hardware; Passive or Bi-Amplified Operation. White DuraFlex™ Finish.	\$1,779.00	\$1,334.25
JBL	VRX932LA-1	JBL VRX932LA-1 12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	\$2,759.00	\$2,069.25
JBL	VRX932LA-1WH	JBL VRX932LA-1WH 12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. White DuraFlex™ finish.	\$2,759.00	\$2,069.25
JBL	VRX932LAP	JBL VRX932LAP Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish.	\$3,429.00	\$2,571.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VRX915M	JBL VRX915M 15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; Black DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille.	\$2,059.00	\$1,544.25
JBL	VRX915S	JBL VRX915S 15" Bass Reflex Subwoofer	\$1,549.00	\$1,161.75
JBL	VRX915S-WH	JBL VRX915S-WH 15" Bass Reflex Subwoofer - white	\$1,549.00	\$1,161.75
JBL	VRX918S	JBL VRX918S 18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and accessories; handles and pole mount deleted. White DuraFlex™ finish.	\$1,679.00	\$1,259.25
JBL	VRX918SP	JBL VRX918SP Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC-2 Amplifier Module with system DSP; Integral Rigging Hardware Compatible with VRX932LAP; Top Mounted M20 Threaded Pole Socket; Black DuraFlex™ finish.	\$2,399.00	\$1,799.25

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	VRX918S-WH	JBL VRX918S-WH 18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and Accessories; Designed for Fixed Installations with JBL's White Duraflex™; No Pole Mount or Handles Included.	\$1,679.00	\$1,259.25
JBL	VRX-AF	JBL VRX-AF Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop Levers	\$1,049.00	\$786.75
JBL	VRX-SMAF	JBL VRX-SMAF Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..	\$629.00	\$471.75
JBL	EON ONE	JBL EON ONE A linear-array P.A. system that brings an unobstructed 10" bass reflex subwoofer with 6 - 2" drivers. The built-in 6-channel mixer provides a combination of XLR, 1/4", 3.5mm, RCA, and Bluetooth audio into a true all-in-one design that you can carry with one hand. Weight 40.8lbs.	\$1,249.00	\$936.75
JBL	EON206P	JBL EON206P JBL Packaged PA System with integrated 160 Watt powered mixer; 6-channel mixer with user selectable Reverb on Ch1/2, 2 x 6.5" JBL two-way speakers, 113dB Maximum SPL, durable plastic enclosure. Weight 11.34kg (25 lbs).	\$560.00	\$420.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	EON208P	JBL EON208P JBL Packaged PA System with integrated 300 Watt powered mixer; 8-channel mixer with user selectable Reverb on Ch1-4, 2 x 8" JBL two-way speakers, durable plastic enclosure. Weight 38.8lbs.	\$899.00	\$674.25
JBL	EON610	JBL EON610 10" two-way stage monitor or front of house powered speaker system; 1000 Watt peak power rating, 124dB Maximum SPL, Image Control Waveguide, Bluetooth v4.0 control, Two channel mixer with XLR-1/4" combo inputs, 3 x M10 suspension points, plastic enclosure. Weight 11.79kg (26 lbs).	\$485.00	\$363.75
JBL	EON612	JBL EON612 12" two-way stage monitor or front of house powered speaker system; 1000 Watt peak power rating, 126dB Maximum SPL, Image Control Waveguide, JBL Low-Frequency Waveguide, Bluetooth v4.0 control, Two channel mixer with XLR-1/4" combo inputs, 3 x M10 suspension points, plastic enclosure. Weight 14.96kg (33 lbs).	\$546.00	\$409.50
JBL	EON615	JBL EON615 Powered 15" two-way system featuring JBL's new waveguide technology and Bluetooth control.	\$607.00	\$455.25
JBL	EON618S	JBL EON618S Powered 18" subwoofer, 1000W class D ampfier with maximum 132dB SPL, Bluetooth control.	\$999.00	\$749.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	JRX212	JBL JRX212 12" two-way stage monitor or front of house passive speaker system; 1000 Watt peak power handling, 129dB Maximum SPL, 8 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 19.5kg (43 lbs).	\$312.00	\$234.00
JBL	JRX215	JBL JRX215 15" two-way front of house passive speaker system; 1000 Watt peak power handling, 128dB Maximum SPL, 8 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 27.4kg (60.5 lbs).	\$374.00	\$280.50
JBL	JRX218S	JBL JRX218S 18" passive compact subwoofer; 1400 Watt peak power handling, 127dB Maximum SPL, 4 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 40.4kg (89 lbs).	\$624.00	\$468.00
JBL	JRX225	JBL JRX225 Dual 15" two-way front of house passive speaker system; 2000 Watt peak power handling, 133dB Maximum SPL, 4 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 42.6kg (94 lbs).	\$562.00	\$421.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PRX412M	JBL PRX412M 12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL , 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 17.5kg (38 lbs.)	\$624.00	\$468.00
JBL	PRX412M-WH	JBL PRX412M-WH 12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL , 8 ohms. White DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille. 12 M10 suspension points. Net Weight 17.5kg (38 lbs.)	\$730.00	\$547.50
JBL	PRX415M	JBL PRX415M 15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL , 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 21kg (46 lbs.)	\$686.00	\$514.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PRX415M-WH	JBL PRX415M-WH 15" two-way stage monitor or front-of-house passive speaker system; 1200 Watt peak power handling, 129dB Maximum SPL, 8 ohms. White DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille. 12 M10 suspension points. Net Weight 21kg (46 lbs.)	\$810.00	\$607.50
JBL	PRX418S	JBL PRX418S Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max SPL, cloth-backed steel grille M20 pole socket, non-skid rubber feet, Net Weight 33.5kg (74 lbs.)	\$936.00	\$702.00
JBL	PRX425	JBL PRX425 Dual 15" two-way passive speaker system; 2400 Watt peak power handling, 134dB Maximum SPL, 4 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 33.5kg (74 lbs.)	\$936.00	\$702.00
JBL	PRX710	JBL PRX710 1500W 10" two-way powered loudspeaker system with (2x) XLR-1/4" inputs, RCA inputs, XLR loop-thru, and user selectable system EQ	\$1,199.00	\$899.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PRX812W	JBL PRX812W Powered, 1500W, 12" two-way, bass-reflex system with monitor angle, WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 135db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	\$999.00	\$749.25
JBL	PRX815W	JBL PRX815W Powered, 1500W, 15" two-way, bass-reflex system with monitor angle, WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 137db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	\$1,099.00	\$824.25
JBL	PRX815XLFW	JBL PRX815XLFW Powered, 1500W, 15" extended low frequency subwoofer with WiFi capability in a wood cabinet, dual pole mount, M20 threaded pole socket. 134 db SPL with dbx Type IV Limiter circuit.	\$1,399.00	\$1,049.25
JBL	PRX818XLFW	JBL PRX818XLFW Powered, 1500W, 18" extended low frequency subwoofer with WiFi capability in a wood cabinet, dual pole mount, M20 threaded pole socket. 134 db SPL with dbx Type IV Limiter circuit.	\$1,499.00	\$1,124.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	PRX825W	JBL PRX825W Powered, 1500W, dual 15" two-way, bass-reflex system with WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 138db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	\$1,599.00	\$1,199.25
JBL	PRX835W	JBL PRX835W Powered, 1500W, 15" three-way, full-range system with WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 138db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	\$1,599.00	\$1,199.25
JBL	SRX812	JBL SRX812 SRX812 is a two-way full range speaker with a 12" woofer made for use as a light duty main PA, monitor, or rear or side fill. Premium utility hardware makes SRX812 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	\$1,124.00	\$843.00
JBL	SRX815	JBL SRX815 SRX815 is a two-way full range speaker with a 15" woofer made for use as a light to medium duty main PA, monitor, or rear or side fill. Premium utility hardware makes SRX815 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	\$1,249.00	\$936.75

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	SRX835	JBL SRX835 SRX835 is a three-way full range speaker with a 15" woofer made for use as a medium duty main PA, or rear or side fill. Premium utility hardware makes SRX835 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	\$1,624.00	\$1,218.00
JBL	SRX818S	JBL SRX818S SRX818S is a single 18" subwoofer for concert, touring, or installed use, featuring a standard M20 pole cup for use with top boxes, indexing feet for stacking in both standard and cardioid position, and a 136dB max SPL. Tunings for Crown amps and dbx processors are available at jblpro.com	\$1,499.00	\$1,124.25
JBL	SRX828S	JBL SRX828S SRX828S is a dual 18" subwoofer for concert, touring, or installed use, featuring a wide stance for splaying top boxes, indexing feet for stacking in both the standard and cardioid position, and a 141dB max SPL. Tunings for Crown amps and dbx processors are available at jblpro.com	\$1,999.00	\$1,499.25

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	SRX812P	JBL SRX812P 2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX812P can be used as either a monitor or a main system and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	\$1,623.00	\$1,217.25
JBL	SRX815P	JBL SRX815P 2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX815P can be used as either a monitor or a main system and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	\$1,748.00	\$1,311.00
JBL	SRX835P	JBL SRX835P 2000 Watt Powered 3-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX835P can be pole mounted or stacked and splayed atop a subwoofer, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	\$1,998.00	\$1,498.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	SRX818SP	JBL SRX818SP 1000 Watt Powered 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The SRX818SP provides extended low frequency for any system, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	\$1,998.00	\$1,498.50
JBL	SRX828SP	JBL SRX828SP 2000 Watt Powered dual 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The SRX828SP provides extended low frequency for any system, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	\$2,498.00	\$1,873.50
JBL	JBLPOLE-GA	JBL JBLPOLE-GA JBL speaker pole featuring gass assist adjustment from 36" to 53".	\$183.00	\$137.25
JBL	JBLPOLE-MA	JBL JBLPOLE-MA JBL speaker pole with manual adjustment from 36" to 55".	\$116.00	\$87.00
JBL	JBLTRIPOD-GA	JBL JBLTRIPOD-GA JBL speaker tripod featuring gass assist adjustment from 3' 8" to 6' 7"	\$283.00	\$212.25
JBL	JBLTRIPOD-MA	JBL JBLTRIPOD-MA JBL speaker tripod with manual adjustment from 4' 2" to 6' 5".	\$116.00	\$87.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	SS2-BK	JBL SS2-BK Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX	\$221.00	\$165.75
JBL	SS3-BK	JBL SS3-BK 35mm Diameter, 41" (1041.4 mm) Speaker Pole for JRX, MRX and PRX Sub/Satellite configurations	\$64.00	\$48.00
JBL	SS3-BK24	JBL SS3-BK24 S/M SS3-BK24	\$65.00	\$48.75
JBL	SS4-BK	JBL SS4-BK Adjustable Pole (35.5" - 57"; 900 mm – 1450 mm) for use with SRX718S/VRX918S/VRX918SP/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top	\$139.00	\$104.25
JBL	SS4-BK24	JBL SS4-BK24 S/M SS3-BK24	\$75.00	\$56.25
JBL	SS5-BK	JBL SS5-BK Metal Pole Stand with hand-crank for VT4886's with locking collar and threaded end mount for VT4883 subs. Black.	\$272.00	\$204.00
JBL	MD1	JBL MD1 Ultra High Frequency Loudspeaker	\$954.00	\$715.50
JBL	MD2	JBL MD2 High Output Mid-High 90° x 50° Loudspeaker	\$4,794.00	\$3,595.50
JBL	MD3L	JBL MD3L High Output Low-Frequency Loudspeaker	\$6,114.00	\$4,585.50
JBL	MD3R	JBL MD3R High Output Low-Frequency Loudspeaker	\$6,114.00	\$4,585.50
JBL	MD46	JBL MD46 High Output 4-Way 15" Full-Range 60° x 40° Loudspeaker	\$6,954.00	\$5,215.50
JBL	MD49	JBL MD49 High Output 4-Way 15" Full-Range 90° x 50° Loudspeaker	\$6,954.00	\$5,215.50
JBL	MD52	JBL MD52 Medium Output 12" 2-Way Full-Range 90° x 50° Loudspeaker	\$2,034.00	\$1,525.50
JBL	MD55	JBL MD55 Medium Output 15" 2-Way Full-Range 90° x 50° Loudspeaker	\$2,154.00	\$1,615.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MD7	JBL MD7 High Output Dual 18" Subwoofer	\$7,074.00	\$5,305.50
JBL	MDSB-1	JBL MDSB-1 Marquis Dance Club Series Stacking Bracket	\$2,160.00	\$1,620.00
JBL	AXY-388302	JBL AXY-388302 N/A	\$516.00	\$387.00
JBL	AXY-621007	JBL AXY-621007 N/A	\$9,860.00	\$7,395.00
JBL	AXY-627707	JBL AXY-627707 N/A	\$6,966.00	\$5,224.50
JBL	AXY-650012	JBL AXY-650012 N/A	\$3,066.00	\$2,299.50
JBL	AXY-650014	JBL AXY-650014 N/A	\$3,265.00	\$2,448.75
JBL	AXY-8212288	JBL AXY-8212288 N/A	\$1,417.00	\$1,062.75
JBL	AXY-8212289	JBL AXY-8212289 N/A	\$1,360.00	\$1,020.00
JBL	AXY-710162	JBL AXY-710162 N/A	\$8,212.00	\$6,159.00
JBL	AXY-650265	JBL AXY-650265 N/A	\$3,465.00	\$2,598.75
JBL	AXY-652025	JBL AXY-652025 N/A	\$6,562.00	\$4,921.50
JBL	AXY-710121	JBL AXY-710121 N/A	\$8,833.00	\$6,624.75
JBL	AXY-642412	JBL AXY-642412 N/A	\$8,822.00	\$6,616.50
JBL	AXY-642515	JBL AXY-642515 N/A	\$9,360.00	\$7,020.00
JBL	AXY-712215	JBL AXY-712215 N/A	\$8,624.00	\$6,468.00
JBL	AXY-712820	JBL AXY-712820 N/A	\$16,432.00	\$12,324.00
JBL	AXY-391030	JBL AXY-391030 N/A	\$5,672.00	\$4,254.00
JBL	AXY-808314	JBL AXY-808314 N/A	\$75.00	\$56.25
JBL	AXY-808414	JBL AXY-808414 N/A	\$98.00	\$73.50
JBL	AXY-808420	JBL AXY-808420 N/A	\$97.00	\$72.75
JBL	AXY-808456	JBL AXY-808456 N/A	\$110.00	\$82.50
JBL	AXY-8213715	JBL AXY-8213715 N/A	\$776.00	\$582.00
JBL	AXY-8214115	JBL AXY-8214115 N/A	\$854.00	\$640.50
JBL	AXY-828501	JBL AXY-828501 N/A	\$197.00	\$147.75
JBL	AXY-841501	JBL AXY-841501 N/A	\$46.00	\$34.50
JBL	AXY-841502	JBL AXY-841502 N/A	\$48.00	\$36.00
JBL	AXY-841601	JBL AXY-841601 N/A	\$53.00	\$39.75
JBL	AXY-841602	JBL AXY-841602 N/A	\$58.00	\$43.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	LSR305	JBL LSR305 Bi-amplified Studio Monitor with Magnetically-Shielded 5" Low Frequency Transducer and 1" Soft-Dome High Frequency Transducer and Image Control Wave Guide. Class-D 41 Watt RMS Amplifier for LF, and 41 Watt RMS Amplifier for HF. Balanced XLR and 1/4 Inputs with Dented Level Control, HF and LF Trim Controls. US model.	\$199.00	\$149.25
JBL	LSR308	JBL LSR308 Bi-amplified Studio Monitor with Magnetically-Shielded 8" Low Frequency Transducer and 1" Soft-Dome High Frequency Transducer and Image Control Wave Guide. Class-D 56 Watt RMS Amplifier for LF, and 56 Watt RMS Amplifier for HF. Balanced XLR and 1/4 Inputs with Dented Level Control, HF and LF Trim Controls. US model.	\$325.00	\$243.75
JBL	LSR310S	JBL LSR310S 10-inch powered subwoofer.	\$499.00	\$374.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	LSR6312SP	<p>JBL LSR6312SP Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. Comprehensive bass management system accommodates all surround formats. XLR/1/4" inputs with selectable +4, +8 dBU, -10 dBV sensitivity. Boundary compensation; LCR, and Direct LFE input; Summed output; Subwoofer remote bypass jack; 12" Differential Drive® Woofer, 260 Watts Continuous Power Amplifier</p>	\$2,080.00	\$1,560.00
JBL	LSR6332L	<p>JBL LSR6332L Three-Way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer Mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual Pairs of 5-Way Binding Posts; Bi-wire Capability. 200 watts RMS and 800 watts Peak Power Handling.</p>	\$1,910.00	\$1,432.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	LSR6332R	<p>JBL LSR6332R Three-way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual pairs of 5-Way binding posts; Bi-Wire Capability. 200 watts RMS and 800 watts Peak Power Handling.</p>	\$1,910.00	\$1,432.50
JBL	LSR705i	<p>JBL LSR705i Compact high output two-way externally powered studio monitor with 725G five-inch (127 mm) high-excursion low frequency transducer and 2409H high-frequency compression driver; Patent-pending Image Control Waveguide provides a seamless crossover transition and detailed imaging. 39Hz - 36 kHz frequency range; 107dB Maximum Peak SPL; Dividing Network Transition Frequency: 1.9 kHz. Dividing Network can be bypassed for bi-amplified operation. Birch Plywood enclosure includes rear and bottom mounting points; Not intended for stand-alone use. Complete system requires HARMAN Professional signal processor and external Crown Power Amplifier (not Included.)</p>	\$690.00	\$517.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	705P	JBL 705P JBL "7-Series" 705P 5-inch Bi-Amplified Master Reference Studio Monitor, with 725G five-inch low frequency transducer, Image Control Waveguide. Class-D Power Amplifiers with 250 Watts for LF and 120 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ. HARMAN HiQnet enabled.	\$1,249.00	\$936.75
JBL	LSR708i	JBL LSR708i Compact high output two-way externally powered studio monitor with 728G eight-inch (203 mm) high-excursion differential driver low frequency transducer and 2409H high-frequency compression driver; Patent-pending Image Control Waveguide provides a seamless crossover transition and detailed imaging. 35Hz - 36 kHz frequency range; 114dB Maximum Peak SPL; Dividing Network Transition Frequency: 1.7 kHz. Dividing Network can be bypassed for bi-amplified operation. Birch Plywood enclosure includes rear and bottom mounting points; Not intended for stand-alone use. Complete system requires HARMAN Professional signal processor and external Crown Power Amplifier (not Included.)	\$1,500.00	\$1,125.00

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	708P	<p>JBL 708P JBL 7-Series 708P 8-inch Bi-Amplified Master Reference Studio Monitor, with 728G eight-inch low-frequency transducer with Differential Drive, and Image Control Waveguide. Class-D Power Amplifiers with 250 Watts for LF and 120 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ. HARMAN HiQnet enabled.</p>	\$2,499.00	\$1,874.25
JBL	Intonato24	<p>JBL Intonato24 JBL Intonato 24 Monitor Management Tuning System. Ideal for use with JBL M2, 7 Series studio monitors. Provides automated calibration and control of stereo, surround and immersive audio monitoring systems. 24 speaker outputs, 24 analog and digital inputs. Flexible routing and monitoring configurations, store and recall of custom user profiles. 2-U rack mount ready. Calibration microphone included. Comprehensive control via supplied Macintosh Windows, and tablet software. Optional Intonato Desk Top Controller.</p>	\$3,750.00	\$2,812.50

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	M2	<p>JBL M2 M2 Master Reference Monitor: A Free-Standing, 2-Way System that can be placed in any environment to provide an exceptionally accurate monitoring experience. Leveraging a new generation of JBL high-output, ultra-low distortion transducers, the M2 provides in-room frequency response of 20 Hz to 40 kHz, and an extraordinary 123 dB maximum SPL to meet the demanding music, cinema and broadcast production requirements for impactful dynamic range.</p>	\$6,000.00	\$4,500.00
JBL	SUB18	<p>JBL SUB18 SUB 18 Studio subwoofer. (Speaker Only. Requires External Power Amplifier) Designed for applications in which very high continuous output and extended low frequency performance are required. Delivers unprecedented performance for demanding dance music production, while providing exceptional accuracy required in cinema post production applications. As an add-on to JBL's M2 Master Reference Monitor system, the SUB18 allows three times greater output from the system.</p>	\$3,250.00	\$2,437.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	S2S-EX	JBL S2S-EX Studio Subwoofer with 15-inch (380mm) W1500H transducer. Dual front ports. Grille included., Frequency Response 22Hz – 400Hz 3200-watt peak power capacity. Nominal impedance: 8 ohms Sensitivity (ground plane): 93dB (1 watt at 1 meter) @ 60Hz Recommended amplifier power: 1200 watts Recommended for use with JBL M2 and 7 Series studio monitors. Dimensions (H x W x D): 27.5" x 21" x 15" (16.6" with grille) (699mm x 533mm x 381mm) (432mm with grille) Weight (grille included): 125lbs (56.7kg)	\$3,000.00	\$2,250.00
JBL	C1PRO	JBL C1PRO Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, Black. Priced as Each. Packaged and sold in pairs.	\$106.00	\$79.50
JBL	C1PRO-WH	JBL C1PRO-WH Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, White. Priced as Each. Packaged and sold in pairs.	\$106.00	\$79.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	C2PM	JBL C2PM One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	\$200.00	\$150.00
JBL	C2PS	JBL C2PS Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply and two Snap-On Angle Pedestals. Both speakers have a 5.25" Low Frequency and .75" Polycarbonate Dome Tweeter, Shielded Magnets, Molded Enclosures. Powered master incorporates 35 watts amplification x 2 channels; two Balanced XLR ¼" and two unbalanced RCA inputs; Stereo Volume Control; Stereo Headphone Jack; HF Contour Control.	\$260.00	\$195.00
JBL	MTC-2P	JBL MTC-2P Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.	\$26.00	\$19.50
JBL	CONTROL 5	JBL CONTROL 5 Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black, Priced as Each. Master Pack Quantity: 2 Pieces.	\$218.00	\$163.50

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	CONTROL 5-WH	JBL CONTROL 5-WH Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, White, Priced as Each. Master Pack Quantity: 2 Pieces.	\$218.00	\$163.50
JBL	NPATCH BLK	JBL NPATCH BLK Compact 2 channel analog passive volume control with Rotary volume attenuation control, Mute button; two TRS/XLR combo inputs (balanced and unbalanced); two TRS outputs (balanced and unbalanced); one Mini jack I/O. Metal enclosure. Passive design - no power required. Dimensions W x D x H: 5.1 in x 3.75 in. 2.0 in (130 mm x 95 mm x 51 mm) ; Weight: 0.8 lbs (.34 kg)	\$69.00	\$51.75

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	MPATCH2	<p>JBL MPATCH2 The M-PATCH 2 provides monitoring of up to two stereo input sources via two stereo outputs and offers excellent performance using passive circuitry. Front panel features include a large main volume attenuation control, an Aux level control and a STEREO/AUX input selector switch. Versatile monitoring controls include an A & B output destination selector; a Stereo/Mono summing switch and a Mute switch. A built-in headphone amp with a dedicated volume control and a 1/4-inch (6 mm) front panel headphone jack allows monitoring via headphones. Connection to a broad range of sources is facilitated by rear panel stereo XLR/TRS inputs, stereo unbalanced RCA inputs and two sets of balanced XLR outputs. Metal enclosure with included Rack-Mount Adaptors . Dimensions W x D x H: 8.7 in x 4.7 in. 3.4 in (220 mm x 120 mm x 86 mm) ; Weight: 2.2 lbs. (1.0 kg) Power requirements: Supplied 15 VDC power supply used to power headphone amplifier only.</p>	\$199.00	\$149.25

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	ACTIVE-1	<p>JBL ACTIVE-1 The ACTIVE-1 Provides seamless A/B switching of input sources and speaker systems and includes USB I/O for direct digital audio recording and playback when connected to a computer audio system. The ACTIVE-1 allows monitoring of four stereo input sources via four stereo outputs and delivers a full complement of audio monitoring functions, including: precision volume control, mono summing, mute, and dim. A footswitch-activated talk-back function, complete with on-board condenser microphone and selectable routing, makes the ACTIVE-1 the ideal solution for a broad range of studio production applications. Dimensions W x D x H: 13.0 in. x 7.5 in. x 5.0 in. (330 mm x 191 mm x 127 mm; Weight: 2.0 lb (0.9 kg) Power Requirements: Supplied 9 Volt DC Power Supply</p>	\$229.00	\$171.75
JBL	ACTPACK	<p>JBL ACTPACK Bundle that includes one Nano Patch+ compact 2 channel analog passive volume control and these accessories: 2 XLR male to XLR female Cables (3m); 2 XLR male to TRS Cables (3m) 2 Speaker Isolation Pads, dimensions each (D x W x H): 6.5 in. x 11 in. x 1.5 in. (170mm x 300mm x 40mm including angled addition)</p>	\$99.00	\$74.25

6/13/2017

Manufacturer	Manufacturer Part #	Description	List Price	DIR-TSO-3306 Price
JBL	LSR25PTOTE	JBL LSR25PTOTE Soft Carry Case, With Wheels, Holds a Pair of LSR6325P or LSR25P.	\$200.00	\$150.00
JBL	351145-001	JBL 351145-001 RMC KIT, LSR6328P and LSR6312SP	\$155.00	\$116.25